



PUTTING THE POWER IN YOUR HANDS SINCE 1981











Fast Track Order LineOrder with QuestionsInquiries800.226.2646800.363.9855800.964.92741 know what I wantA little help, but I am readyInterested & need answers14VER1Water Cannon, Un contacto en Espanol: Ilama al: 800.917.9274

WCPUB1014VER1



Portable Best Selling Pressure Washers



Rotomax Nozzle



High impact rotating nozzles adjusts from 5 to 25 degrees. Saves time - improves cleaning 4000PSI - 200F Deg.

ARM010 up to 2.6 GPM \$49 ARM020 2.6 - 4.2 GPM \$49 ARM030 4.5 - 5.6GPM \$49

Extension Hose



bend restrictors, swivel & quick connects. Rated to 250F. Deg 4000 PSI

> AHS230 50' \$49 AHS235 100' \$99 AHS240 150' \$179 AHS245 100' \$239

GAS ENGINE DIRECT DRIVE VALUE LINE

20H14	2.5 GPM @ 2700 PSI	GC190	Honda	AR RMV-A Pump/Int UL	\$465
20L17	2.5 GPM @ 2700 PSI	PP208	LCT	AR RMV-A Pump/Int UL	\$409
20H20	3.0 GPM @ 2700 PSI	GC190	Honda	AR RCV Pump	\$629
20L23	3.0 GPM @ 2700 PSI	PP208	LCT	AR RCV Pump	\$575
20H26	2.5 GPM @ 3000 PSI	GC190	Honda	AR RMV-B Pump/Int UL	\$489
20H29	2.6 GPM @ 3000 PSI	GC190	Honda	GP TP Pump/Int UL	\$599
20L32	2.6 GPM @ 3000 PSI	PP208	LCT	GP TP Pump/Int UL	\$539
20H35	3.0 GPM @ 3000 PSI	GC190	Honda	CAT 4PPX Pump/Int UL	\$629
20L38	3.0 GPM @ 3000 PSI	PP208	LCT	CAT 4PPX Pump/Int UL	\$575
20H41	2.5 GPM @ 3300 PSI	GX200	Honda	AR RMV-B Pump/Int UL	\$569
20L44	2.5 GPM @ 3300 PSI	PP208	LCT	AR RMV-B Pump/Int UL	\$435
20H47	2.5 GPM @ 3300 PSI	GX200	Honda	CAT 4PPX Pump/Int UL	\$709
20L50	2.5 GPM @ 3300 PSI	PP208	LCT	CAT 4PPX Pump/Int UL	\$575
20H53	4.0 GPM @ 4200 PSI	GX390	Honda	AR RSV Pump/Int UL	\$989
11H35	4.0 GPM @ 4200 PSI	GX390	Honda	AR RRV Pump	\$1,029
15L41	4.0 GPM @ 4200 PSI	PP420	LCT	AR RSV Pump/Int UL	\$739
20L62	4.0 GPM @ 4200 PSI	PP420	LCT	AR RRV Pump	\$779
20H65	4.0 GPM @ 4200 PSI	GX390	Honda	CAT 67DX Pump/Int UL	\$1,119
20H68	4.0 GPM @ 4200 PSI	GX390	Honda	CAT 66DX Pump	\$1,259
20L71	4.0 GPM @ 4200 PSI	PP420	LCT	CAT 67DX Pump/Int UL	\$875
20L74	4.0 GPM @ 4200 PSI	PP420	LCT	CAT 66DX Pump	\$1,019
20H77	4.0 GPM @ 4200 PSI	GX390	Honda	GP TX Pump/Int UL	\$1,015
11H40	4.0 GPM @ 4200 PSI	GX390	Honda	GP EZ Pump	\$1045
20L83	4.0 GPM @ 4200 PSI	PP420	LCT	GP TX Pump/Int UL	\$775
20L86	4.0 GPM @ 4200 PSI	PP420	LCT	GP EZ Pump	\$829



SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail) Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown LCT & GX models only
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Honda GC Series consumer grade & GX Series commercial grade engines are 50 state approved
- LCT Maxx Series commercial grade 49 state approved engines -Not available in CA.
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All models meet or exceed PWMA standards of +/- 10%.

STANDARD ACCESSORIES

- Gun/wand assembly
- •50' hose w/ couplers*
- Chemical injector

 3 color-coded QC spray nozzles •1 color-coded QC chemical nozzle *NOTE: 2700-3300 PSI models include 22mm twist coupler socket hose ends; 4200 PSI models include 22mm twist socket x 3/8" QC plug hose ends.

AVAILABLE OPTIONS ALL MODELS:

Skid Mount - precede model with S/, Example: Specify when ordering

AVAILABLE OPTION PP208, GC190, & GX200

ENGINE MODELS ONLY: UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: UPS models require minor assembly.

Fast Track Order Line 800.226.2646 I know what I want

Order with Questions 800.363.9855 A little help, but I am ready

Upgraded Features, Contractor Pressure Washers



GAS ENGINE DIRECT DRIVE MODELS

11H06	3.0 GPM @ 2700 PSI	GX200	Honda	AR Pump	\$769
11H07	3.0 GPM @ 2700 PSI	GX200	Honda	CAT Pump/Int UL	\$779
11H08	3.0 GPM @ 2700 PSI	GX200	Honda	GP Pump	\$789
11H09	3.0 GPM @ 2700 PSI	GX200	Honda	GP Pump/Int UL	\$749
11R12	3.0 GPM @ 2700 PSI	EX170	Subaru	AR Pump	\$799
11R14	3.0 GPM @ 2700 PSI	EX170	Subaru	CAT Pump/Int UL	\$789
11R16	3.0 GPM @ 2700 PSI	EX170	Subaru	GP Pump	\$829
11H54	3.0 GPM @ 3000 PSI	GX200	Honda	Cat Pump/Int UL	\$779
11H19	3.0 GPM @ 3200 PSI	GX270	Honda	AR Pump	\$959
15H35	3.0 GPM @ 3200 PSI	GX270	Honda	AR Pump/Int UL	\$929
11H21	3.0 GPM @ 3200 PSI	GX270	Honda	CAT Pump/Int UL	\$1,079
11H23	3.0 GPM @ 3200 PSI	GX270	Honda	GP Pump	\$1,019
11 S 27	3.0 GPM @ 3200 PSI	EX270	Subaru	AR Pump	\$959
11R25	3.0 GPM @ 3200 PSI	EX270	Subaru	CAT Pump/Int UL	\$1,079
11R26	3.0 GPM @ 3200 PSI	EX270	Subaru	GP Pump	\$1,029
11H57	2.5 GPM @ 3300 PSI	GX200	Honda	Cat Pump/Int UL	\$779
11H31	4.0 GPM @ 3500 PSI	GX390	Honda	AR Pump	\$1,059
11H32	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump	\$1,299
11H33	4.0 GPM @ 3500 PSI	GX390	Honda	GP Pump	\$1,119
11H35	4.0 GPM @ 4200 PSI	GX390	Honda	AR Pump	\$1,029
15H42	4.0 GPM @ 4200 PSI	GX390	Honda	AR Pump/Int UL	\$989
11H37	4.0 GPM @ 4200 PSI	GX390	Honda	CAT Pump	\$1,249
11H40	4.0 GPM @ 4200 PSI	GX390	Honda	GP Pump	\$1,045
11H44	4.0 GPM @ 4200 PSI	GX390	Honda	GP Pump/Int UL	\$1,029
11H47	4.0 GPM @ 4200 PSI	GX390	Honda	Cat Pump/Int UL	\$1,159



SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- •50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS Skid Mount - precede model with S/ Specify when ordering.

AVAILABLE OPTIONS:

GX390 MODELS ONLY Electric Start upgrade option: \$299 Available on GX390 Hondas only. All electric start models include battery and marine battery box.

AVAILABLE OPTIONS:

EX 170 & GX 200 Include, UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: UPS models require minor assembly.

Fast Track Order Line 800.226.2646 I know what I want

Order with Questions 800.363.9855 A little help, but I am ready

V-Belt Drive Long Life Honda Pressure Washers



2nd Story Wands

Light weight 6ft Section telescopic poles allow for overhead & second story cleaning

4000 PSI Rated

DLTG12 \$81.99 DLTG18 \$99.99 DLTG24 \$115.99

Aluminum hand carry manual rewind hose reel, holds 3/8" single wire hose 4000 PSI Rated

Portable Reels



HC/HR050 50' \$159 HC/HR100 100' \$179 HC/HR150 150' \$199 HC/HR200 200' \$219

GP Surface Cleaners

Flat surface cleaning made easy with General Pumps Rotory floating head cleans 10 times faster, includes trigger control 4000 PSI rated

DFSCP18Z 18" \$299 DCFSCP20GZ 20" \$359

GAS ENGINE V-BELT DRIVE MODELS

11H01	3.0 GPM @ 2500 PSI	GX200	Honda	AR Pump	\$1,019
11H02	3.0 GPM @ 2500 PSI	GX200	Honda	CAT Pump	\$1,429
11H03	3.0 GPM @ 2500 PSI	GX200	Honda	GP Pump	\$1,099
11H80	4.0 GPM @ 3500 PSI	GX390	Honda	AR Pump	\$1,349
11H82	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump	\$1,539
11H84	4.0 GPM @ 3500 PSI	GX390	Honda	HP Pump	\$1,429
11H89	4.0 GPM @ 4200 PSI	GX390	Honda	AR Pump	\$1,299
11H90	4.0 GPM @ 4200 PSI	GX390	Honda	CAT Pump	\$1,539
11H91	4.0 GPM @ 4200 PSI	GX390	Honda	HP Pump	\$1,379



SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Thermo-sensor (prevents overheating in bypass mode)

• Commercial/Industrial grade engines NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50" high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- •1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS

Skid Mount - precede model with S/ Specify when ordering

AVAILABLE OPTIONS:

GX390 MODELS ONLY Electric Start upgrade option: \$299 Available on GX390 Hondas only. All electric start models include battery and marine battery box.

Fast Track Order Line 800.226.2646 I know what I want

Order with Questions 800.363.9855 A little help, but I am ready

V-Belt Drive Twin Cylinder Pressure Washers



5000 PSI Surface Cleaners

Whisper Pro 2000-5000 PSI Platinum Series works on hot or cold water systems and feature a one piece unitized swivel cartridge

WP-EW1000 16" \$399 WP-EW2000 19" \$549
 WP-2000
 20"
 \$599

 WP-2400*
 24"
 \$749

 shown on page 1 cover

GAS ENGINE V-BELT DRIVE MODELS

12H03	8.0 GPM @ 3000 PSI	GX630	Honda	AR Pump	\$3,179
12H09	8.0 GPM @ 3000 PSI	GX630	Honda	GP Pump	\$3,249
12V10	5.5 GPM @ 3500 PSI	18 HP	Vanguard	HP Pump	\$2,625
12H11	5.5 GPM @ 3500 PSI	GX630	Honda	HP Pump	\$2,819
12H12	8.0 GPM @ 3500 PSI	GX690	Honda	AR Pump	\$3,469
12H15	8.0 GPM @ 3500 PSI	GX690	Honda	GP Pump	\$3,599
12V12	5.0 GPM @ 4000 PSI	18 HP	Vanguard	AR Pump	\$2,589
12H10	5.0 GPM @ 4000 PSI	GX630	Honda	AR Pump	\$2,899
12H19	5.0 GPM @ 4000 PSI	GX630	Honda	CAT Pump	\$3,949
12H21	5.5 GPM @ 4000 PSI	GX630	Honda	AR Pump	\$3,239
12H25	5.5 GPM @ 4000 PSI	GX630	Honda	GP Pump	\$2,999
12H33	4.5 GPM @ 5000 PSI	GX630	Honda	GP Pump	\$3,599
12H36	5.5 GPM @ 5000 PSI	GX690	Honda	GP Pump	\$3,819
12H45	4.5 GPM @ 6000 PSI	GX690	Honda	GP Pump	\$4,999

2-5, 5% 6+, 7%

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter *excludes 8 GPM units
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 & Vanguard models
- Engine and pump oil drains offer easy maintenance
- Oversize pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- 3VX belt system offers balanced power transfer
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor
- (prevents overheating in bypass mode)
- Remote six gallon poly fuel tank
- All units feature electric start and include battery & marine battery box

NOTE: *8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles

• 1 color-coded QC chemical nozzle NOTE: Chemical injector & nozzle are not included on 5000, and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

Skid Mount - Precede model with S/ Specify when ordering ACI5000 5000 PSI Chemical Injector Assembly. \$64.99 ACI6000 6000 PSI Chemical Injector Assembly. \$119.99

Fast Track Order Line 800.226.2646 I know what I want

Order with Questions 800.363.9855 A little help, but I am ready

Diesel and Honda Powered Pressure Washers

DIESEL ENGINE DIRECT DRIVE





High impact nozzles with a debries catching stainless steel filter easy to clean & maintain 200F. Deg

ARM010F	up to 2.6GPM	\$59
ARM020F	2.6 - 4.2GPM	\$59
ARM030F	4.5 - 5.6GPM	\$59



HONDA GEAR DRIVE

DIESEL ENGINE V-BELT DRIVE





Non-Marking Hose

Grey non-marking cover includes, bend restrictor, swivel & quick connects Rated to 250F. Deg - 4000PSI

AHS280	50'	\$65
AHS285	100'	\$119
AHS290	150'	\$219
AHS295	200'	\$299

DIESEL ENGINE DIRECT DRIVE MODELS

11L53	4.0 GPM @ 3200 PSI	KD420	Kohler	GP Pump	\$2,829
11L56	4.0 GPM @ 3200 PSI	KD420ES	Kohler	GP Pump	\$3,339
	DIESEL ENGINE	V-BELT D	RIVE M	ODELS	
11L62	4.0 GPM @ 3200 PSI	KD420	Kohler	GP Pump	\$3,299
11L67	4.0 GPM @ 3200 PSI	KD420ES	Kohler	GP Pump	\$3,899
	GAS ENGINE GEAR	DRIVE CA	AT PUMP	P MODELS	5
11H61	3.0 GPM @ 2000 PSI	GX160	Honda	CAT Pump	\$1,339
11H63	4.0 GPM @ 3500 PSI	GX390	Honda	CAT Pump	\$1,639

STANDARD FEATURES

11H63

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- •50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- •1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with Specify when ordering NOTE: Diesel Skid units include powder coated steel skid with four rubber feet.

AVAILABLE OPTIONS:

GX390 MODELS ONLY Electric Start upgrade option: \$299 Available on GX390 Hondas only. *All electric start models include battery and marine battery box.

Fast Track Order Line 800.226.2646 I know what I want Order with Questions 800.363.9855 A little help, but I am ready

Best Selling Electric Pressure Washers



Drain Jet Kit



Turn your pressure washer into a professional Drain Cleaning System. Rated to 122F. Deg - 4200PSI

Jet 30' Kit	\$52.99
Jet 50' Kit	\$81.99
Jet 100' Kit	\$115
Jet 150' Kit	\$145

Manual Hose Reel



Manual rewind hose reels can be mounted to a flat surface

27.0006	50'	\$65
27.0004	100'	\$79
27.0005	150'	\$95
27.0007	200'	\$115

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

			-	-	-
11M61	2.0 GPM @ 1200 PSI	1.5 HP	115V/1PH/13A	GP Pump	\$739
11M59	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	AR Pump	\$759
11M63	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump	\$759
11M65	3.0 GPM @ 1000 PSI	2.0 HP	115V/1PH/18A	GP Pump	\$759
11M67	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	AR Pump	\$919
11M69	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	GP Pump	\$919
ELEC ¹	FRIC WALL MO	UNT DI	RECT DRIV	E MODE	LS
11M66	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	AR Pump	\$789
11M66 11M68	2.0 GPM @ 1500 PSI 2.0 GPM @ 1500 PSI	2.0 HP 2.0 HP	115V/1PH/18A 115V/1PH/18A	AR Pump GP Pump	\$789 \$779
				•	
11M68	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump	\$779
11M68 11M70	2.0 GPM @ 1500 PSI 3.0 GPM @ 1000 PSI	2.0 HP 2.0 HP	115V/1PH/18A 115V/1PH/18A	GP Pump GP Pump	\$779 \$779
11M68 11M70 11M76	2.0 GPM @ 1500 PSI 3.0 GPM @ 1000 PSI 3.0 GPM @ 1500 PSI	2.0 HP 2.0 HP 3.0 HP	115V/1PH/18A 115V/1PH/18A 230V/1PH/12A	GP Pump GP Pump AR Pump	\$779 \$779 \$949
11M68 11M70 11M76 11M72	2.0 GPM @ 1500 PSI 3.0 GPM @ 1000 PSI 3.0 GPM @ 1500 PSI 3.0 GPM @ 1500 PSI	2.0 HP 2.0 HP 3.0 HP 3.0 HP	115V/1PH/18A 115V/1PH/18A 230V/1PH/12A 230V/1PH/12A	GP Pump GP Pump AR Pump GP Pump	\$779 \$779 \$949 \$939

STANDARD FEATURES

 Revolutionary aircraft grade aluminum frame with lifetime warranty
 50 mesh inlet filter

- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- 115 volt units include GFCI w/36' cord w/plug
- 230 volt units include 12' cord (no plug)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects • 50' high pressure hose w/quick con-
- nects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

*Auto Start/Stop (115V)- Call for Pricing *Auto Start/Stop (230V) - Call for Pricing

NOTE: Only 1.5 HP, 2 HP and 3 HP models can ship UPS and require minor assembly.

Fast Track Order Line 800.226.2646 I know what I want

Order with Questions 800.363.9855 A little help, but I am ready





ELECTRIC DIRECT DRIVE MODELS

11M12	2.0 GPM @ 1200 PSI	1.5 HP	115V/1PH/13A	GP Pump	\$799
11M14	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	AR Pump	\$819
11M15	2.0 GPM @ 1500 PSI	2.0 HP	115V/1PH/18A	GP Pump	\$819
11M17	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	AR Pump	\$989
11M18	3.0 GPM @ 1500 PSI	3.0 HP	230V/1PH/12A	GP Pump	\$979
11M21	4.0 GPM @ 2000 PSI	6.0 HP	230V/1PH/26A	AR Pump	\$1,619
11M20	4.0 GPM @ 2000 PSI	6.0 HP	230V/1PH/26A	GP Pump	\$1,679
11M30	3.0 GPM @ 3000 PSI	6.0 HP	230V/1PH/26A	AR Pump	\$1,619
11M23	3.5 GPM @ 3000 PSI	7.5 HP	230V/1PH/35A	AR Pump	\$2,019
11M33	3.5 GPM @ 3000 PSI	7.5 HP	230V/1PH/35A	GP Pump	\$1,879
11M26	4.0 GPM @ 3000 PSI	7.5 HP	230V/1PH/35A	AR Pump	\$1,959
11M35	3.0 GPM @ 3500 PSI	7.5 HP	230V/1PH/35A	AR Pump	\$1,929
11M38	4.0 GPM @ 3500 PSI	10 HP	230V/1PH/44A	AR Pump	\$2,139
11M40	3.5 GPM @ 4000 PSI	10 HP	230V/1PH/44A	AR Pump	\$2,179
11M29	7.0 GPM @ 2000 PSI	10 HP	230V/1PH/44A	AR Pump	\$2,199

ELECTRIC DIRECT DRIVE - 50 HZ MODELS

11M50	3.0 GPM @ 2000 PSI	5.0 HP	230V/1PH/25A	GP Pump	\$1,669
11M51	3.0 GPM @ 3000 PSI	6.0 HP	230V/1PH/37A	GP Pump	\$1,889
11M52	3.5 GPM @ 3000 PSI	7.5 HP	230V/1PH/42A	GP Pump	\$2,039



SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- 115 volt units include GFCl w/36' cord w/plug
- 230 volt units include 12' cord (no plug)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

Skid Mount - Precede model with S/ Specify when ordering. *Auto Start/Stop (115V) - Call for Pricing *Auto Start/Stop (230V) - Call for Pricing UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: Only 1.5 HP, 2 HP and 3 HP cart models can ship UPS and require minor assembly.

Fast Track Order Line 800.226.2646 I know what I want Order with Questions 800.363.9855 A little help, but I am ready