



WaterCannon.Com
AllPressureWashers.Com
Volume Discounts Available

PRESSURE WASHER LINE CATALOG

- CONSUMER DUTY
- PROFESSIONAL DUTY
- CONTRACTOR DUTY
- INDUSTRIAL DUTY
- AIR RECOVERY SYSTEMS
- NEW ITEMS FOR 2015



PUTTING THE POWER IN YOUR HANDS SINCE 1981

Fast Track Order Line
800.226.2646

I know what I want

Order with Questions
800.363.9855

A little help, but I'm Ready

Inquires
800.964.9274

Interested & Need Answers

Water Cannon, Un contacto en Espanol: llama al: 800.917.9274

WCPUBDEC14-VER2

Portable Best Selling Pressure Washers



20H47

ROTOMAX NOZZLE



High impact rotating nozzles adjusts from 5 to 25 degrees. Saves time - improves cleaning 4000PSI - 200F Deg.

ARM010 up to 2.6 GPM \$49
ARM020 2.6 - 4.2 GPM \$49
ARM030 4.5 - 5.6GPM \$49

EXTENSION HOSE



Black durable includes bend restrictors, swivel & quick connects. Rated to 250F. Deg 4000 PSI

AHS230 50' \$49
AHS235 100' \$99
AHS240 150' \$179
AHS245 100' \$239

S/20H77



SKID MOUNT

GAS ENGINE DIRECT DRIVE VALUE LINE

| | | | | | |
|-------|--------------------|-------|-------|----------------------|---------|
| 20H14 | 2.5 GPM @ 2700 PSI | GC190 | Honda | AR RMV-A Pump/Int UL | \$465 |
| 20L17 | 2.5 GPM @ 2700 PSI | PP208 | LCT | AR RMV-A Pump/Int UL | \$409 |
| 20H20 | 3.0 GPM @ 2700 PSI | GC190 | Honda | AR RCV Pump | \$629 |
| 20L23 | 3.0 GPM @ 2700 PSI | PP208 | LCT | AR RCV Pump | \$575 |
| 20H26 | 2.5 GPM @ 3000 PSI | GC190 | Honda | AR RMV-B Pump/Int UL | \$489 |
| 20H29 | 2.6 GPM @ 3000 PSI | GC190 | Honda | GP TP Pump/Int UL | \$599 |
| 20L32 | 2.6 GPM @ 3000 PSI | PP208 | LCT | GP TP Pump/Int UL | \$539 |
| 20H35 | 3.0 GPM @ 3000 PSI | GC190 | Honda | CAT 4PPX Pump/Int UL | \$629 |
| 20L38 | 3.0 GPM @ 3000 PSI | PP208 | LCT | CAT 4PPX Pump/Int UL | \$575 |
| 20H41 | 2.5 GPM @ 3300 PSI | GX200 | Honda | AR RMV-B Pump/Int UL | \$569 |
| 20L44 | 2.5 GPM @ 3300 PSI | PP208 | LCT | AR RMV-B Pump/Int UL | \$435 |
| 20H47 | 2.5 GPM @ 3300 PSI | GX200 | Honda | CAT 4PPX Pump/Int UL | \$709 |
| 20L50 | 2.5 GPM @ 3300 PSI | PP208 | LCT | CAT 4PPX Pump/Int UL | \$575 |
| 20H53 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR RSV Pump/Int UL | \$989 |
| 11H35 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR RRV Pump | \$1,029 |
| 15L41 | 4.0 GPM @ 4200 PSI | PP420 | LCT | AR RSV Pump/Int UL | \$739 |
| 20L62 | 4.0 GPM @ 4200 PSI | PP420 | LCT | AR RRV Pump | \$779 |
| 20H65 | 4.0 GPM @ 4200 PSI | GX390 | Honda | CAT 67DX Pump/Int UL | \$1,119 |
| 20H68 | 4.0 GPM @ 4200 PSI | GX390 | Honda | CAT 66DX Pump | \$1,259 |
| 20L71 | 4.0 GPM @ 4200 PSI | PP420 | LCT | CAT 67DX Pump/Int UL | \$875 |
| 20L74 | 4.0 GPM @ 4200 PSI | PP420 | LCT | CAT 66DX Pump | \$1,019 |
| 20H77 | 4.0 GPM @ 4200 PSI | GX390 | Honda | GP TX Pump/Int UL | \$1,015 |
| 11H40 | 4.0 GPM @ 4200 PSI | GX390 | Honda | GP EZ Pump | \$1045 |
| 20L83 | 4.0 GPM @ 4200 PSI | PP420 | LCT | GP TX Pump/Int UL | \$775 |
| 20L86 | 4.0 GPM @ 4200 PSI | PP420 | LCT | GP EZ Pump | \$829 |

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown LCT & GX models only
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Honda GC Series consumer grade & GX Series commercial grade engines are 50 state approved
- LCT Maxx Series commercial grade 49 state approved engines - Not available in CA.
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All models meet or exceed PWMA standards of +/- 10%.

STANDARD ACCESSORIES

- Gun/wand assembly
- 50' hose w/ couplers*
- Chemical injector
- 3 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

*NOTE: 2700-3300 PSI models include 22mm twist coupler socket hose ends; 4200 PSI models include 22mm twist socket x 3/8" QC plug hose ends.

AVAILABLE OPTIONS

ALL MODELS:

- Precede model with S/, Specify when ordering

AVAILABLE OPTION PP208, GC190, & GX200 ENGINE MODELS ONLY:

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: UPS models require minor assembly.

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Upgraded Features, Contractor Pressure Washers

VOLUME DISCOUNTS
2-5, 5%
6+, 7%
BUY MORE, SAVE MORE!



11H40



S/11H35

SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering

AVAILABLE OPTIONS:

GX390 MODELS ONLY

Electric Start upgrade option: \$299 Available on GX390 Hondas only. All electric start models include battery and marine battery box.

AVAILABLE OPTIONS:

EX 170 & GX 200 Include, UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: UPS models require minor assembly.

GAS ENGINE DIRECT DRIVE MODELS

| | | | | | |
|-------|--------------------|-------|--------|-----------------|---------|
| 11H06 | 3.0 GPM @ 2700 PSI | GX200 | Honda | AR Pump | \$769 |
| 11H07 | 3.0 GPM @ 2700 PSI | GX200 | Honda | CAT Pump/Int UL | \$779 |
| 11H08 | 3.0 GPM @ 2700 PSI | GX200 | Honda | GP Pump | \$789 |
| 11H09 | 3.0 GPM @ 2700 PSI | GX200 | Honda | GP Pump/Int UL | \$749 |
| 11R12 | 3.0 GPM @ 2700 PSI | EX170 | Subaru | AR Pump | \$799 |
| 11R14 | 3.0 GPM @ 2700 PSI | EX170 | Subaru | CAT Pump/Int UL | \$789 |
| 11R16 | 3.0 GPM @ 2700 PSI | EX170 | Subaru | GP Pump | \$829 |
| 11H54 | 3.0 GPM @ 3000 PSI | GX200 | Honda | Cat Pump/Int UL | \$779 |
| 11H19 | 3.0 GPM @ 3200 PSI | GX270 | Honda | AR Pump | \$959 |
| 15H35 | 3.0 GPM @ 3200 PSI | GX270 | Honda | AR Pump/Int UL | \$929 |
| 11H21 | 3.0 GPM @ 3200 PSI | GX270 | Honda | CAT Pump/Int UL | \$1,079 |
| 11H23 | 3.0 GPM @ 3200 PSI | GX270 | Honda | GP Pump | \$1,019 |
| 11S27 | 3.0 GPM @ 3200 PSI | EX270 | Subaru | AR Pump | \$959 |
| 11R25 | 3.0 GPM @ 3200 PSI | EX270 | Subaru | CAT Pump/Int UL | \$1,079 |
| 11R26 | 3.0 GPM @ 3200 PSI | EX270 | Subaru | GP Pump | \$1,029 |
| 11H57 | 2.5 GPM @ 3300 PSI | GX200 | Honda | Cat Pump/Int UL | \$779 |
| 11H31 | 4.0 GPM @ 3500 PSI | GX390 | Honda | AR Pump | \$1,059 |
| 11H32 | 4.0 GPM @ 3500 PSI | GX390 | Honda | CAT Pump | \$1,299 |
| 11H33 | 4.0 GPM @ 3500 PSI | GX390 | Honda | GP Pump | \$1,119 |
| 11H35 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR Pump | \$1,029 |
| 15H42 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR Pump/Int UL | \$989 |
| 11H37 | 4.0 GPM @ 4200 PSI | GX390 | Honda | CAT Pump | \$1,249 |
| 11H40 | 4.0 GPM @ 4200 PSI | GX390 | Honda | GP Pump | \$1,045 |
| 11H44 | 4.0 GPM @ 4200 PSI | GX390 | Honda | GP Pump/Int UL | \$1,029 |
| 11H47 | 4.0 GPM @ 4200 PSI | GX390 | Honda | Cat Pump/Int UL | \$1,159 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

V-Belt Drive Long Life Honda Pressure Washers



11H91

PORTABLE REELS

Aluminum hand carry manual rewind hose reel, holds 3/8" single wire hose
4000 PSI Rated



| | | |
|----------|------|-------|
| HC/HR050 | 50' | \$159 |
| HC/HR100 | 100' | \$179 |
| HC/HR150 | 150' | \$199 |
| HC/HR200 | 200' | \$219 |



S/11H91

SKID MOUNT



2ND STORY WANDS

Light weight 6ft Section telescopic poles allow for overhead & second story cleaning
4000 PSI Rated



| | |
|----------|----------|
| DLTG12 | \$89.99 |
| V-DLTG18 | \$99.99 |
| V-DLTG24 | \$115.99 |

GP SURFACE CLEANERS



Flat surface cleaning made easy with General Pumps Rotary floating head cleans 10 times faster, includes trigger control
4000 PSI rated

| | | |
|------------|-----|-------|
| DFSCP18Z | 18" | \$299 |
| DCFSCP20GZ | 20" | \$359 |

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - 50 mesh inlet filter
 - Adjustable pressure unloader
 - Low oil shutdown
 - Pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel axle
 - Thermo-sensor (prevents overheating in bypass mode)
 - Commercial/Industrial grade engines
- NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50" high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering

AVAILABLE OPTIONS:

GX390 MODELS ONLY

- Electric Start upgrade option: \$299 Available on GX390 Hondas only. All electric start models include battery and marine battery box.

GAS ENGINE V-BELT DRIVE MODELS

| | | | | | |
|-------|--------------------|-------|-------|----------|---------|
| 11H76 | 3.0 GPM @ 2500 PSI | GX200 | Honda | AR Pump | \$1,079 |
| 11H77 | 3.0 GPM @ 2500 PSI | GX200 | Honda | CAT Pump | \$1,499 |
| 11H78 | 3.0 GPM @ 2500 PSI | GX200 | Honda | GP Pump | \$1,099 |
| 11H80 | 4.0 GPM @ 3500 PSI | GX390 | Honda | AR Pump | \$1,199 |
| 11H82 | 4.0 GPM @ 3500 PSI | GX390 | Honda | CAT Pump | \$1,539 |
| 11H84 | 4.0 GPM @ 3500 PSI | GX390 | Honda | HP Pump | \$1,429 |
| 11H89 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR Pump | \$1,299 |
| 11H90 | 4.0 GPM @ 4200 PSI | GX390 | Honda | CAT Pump | \$1,539 |
| 11H91 | 4.0 GPM @ 4200 PSI | GX390 | Honda | HP Pump | \$1,379 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

V-Belt Drive Twin Cylinder Pressure Washers




Our AGT020-C fuel tanks have markings stating that they meet the following safety and regulatory requirements:

THIS TANK MEETS THE REQUIREMENTS OF ABYC H25 STANDARD REACH COMPLIANT EO# G13-048 COC# EPA-MLR-PT2



See Page 18 for On-Board 15 Gallon Long Run Fuel Tank Fuel Tank

5000 PSI SURFACE CLEANERS



Whisper Pro 2000-5000 PSI Platinum Series works on hot or cold water systems and feature a one piece unitized swivel cartridge

WP-EW1000 16" \$399
WP-EW2000 19" \$549

WP-2000 20" \$599
WP-2400* 24" \$749
shown on page 1 cover

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - 50 mesh inlet filter – *excludes 8 GPM units
 - Adjustable pressure unloader
 - Low oil shutdown except GX690 & Vanguard models
 - Engine and pump oil drains offer easy maintenance
 - Oversize pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel axle
 - 3VX belt system offers balanced power transfer
 - Commercial/Industrial grade engines
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
 - Remote six gallon poly fuel tank
 - All units feature electric start and include battery & marine battery box
- NOTE: *8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
 - 50' high pressure hose w/quick connects
 - Maxi-Flo 20% chemical injector assembly w/quick connects
 - 4 color-coded QC spray nozzles
 - 1 color-coded QC chemical nozzle
- NOTE: Chemical injector & nozzle are not included on 5000, and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering

ACI5000 5000 PSI Chemical Injector Assembly. \$64.99
ACI6000 6000 PSI Chemical Injector Assembly. \$119.99

GAS ENGINE V-BELT DRIVE MODELS

| | | | | | |
|-------|--------------------|-------|----------|----------|---------|
| 12H03 | 8.0 GPM @ 3000 PSI | GX630 | Honda | AR Pump | \$3,179 |
| 12H09 | 8.0 GPM @ 3000 PSI | GX630 | Honda | GP Pump | \$3,249 |
| 12V10 | 5.5 GPM @ 3500 PSI | 18 HP | Vanguard | HP Pump | \$2,625 |
| 12H11 | 5.5 GPM @ 3500 PSI | GX630 | Honda | HP Pump | \$2,819 |
| 12H12 | 8.0 GPM @ 3500 PSI | GX690 | Honda | AR Pump | \$3,469 |
| 12H15 | 8.0 GPM @ 3500 PSI | GX690 | Honda | GP Pump | \$3,599 |
| 12V12 | 5.0 GPM @ 4000 PSI | 18 HP | Vanguard | AR Pump | \$2,589 |
| 12H10 | 5.0 GPM @ 4000 PSI | GX630 | Honda | AR Pump | \$2,899 |
| 12H19 | 5.0 GPM @ 4000 PSI | GX630 | Honda | CAT Pump | \$3,949 |
| 12H21 | 5.5 GPM @ 4000 PSI | GX630 | Honda | AR Pump | \$3,239 |
| 12H25 | 5.5 GPM @ 4000 PSI | GX630 | Honda | GP Pump | \$2,999 |
| 12H33 | 4.5 GPM @ 5000 PSI | GX630 | Honda | GP Pump | \$3,599 |
| 12H36 | 5.5 GPM @ 5000 PSI | GX690 | Honda | GP Pump | \$3,819 |
| 12H45 | 4.5 GPM @ 6000 PSI | GX690 | Honda | GP Pump | \$4,999 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Diesel and Honda Powered Pressure Washers

DIESEL ENGINE DIRECT DRIVE



11L53

ROTOMAX NOZZLE



High impact nozzles with a debris catching stainless steel filter easy to clean & maintain 200F. Deg

| | | |
|---------|--------------|------|
| ARM010F | up to 2.6GPM | \$59 |
| ARM020F | 2.6 - 4.2GPM | \$59 |
| ARM030F | 4.5 - 5.6GPM | \$59 |



11H63

HONDA GEAR DRIVE



DIESEL ENGINE V-BELT DRIVE



11L67

NON-MARKING HOSE



Grey non-marking cover includes, bend restrictor, swivel & quick connects Rated to 250F. Deg - 4000PSI

| | | |
|--------|------|-------|
| AHS280 | 50' | \$65 |
| AHS285 | 100' | \$119 |
| AHS290 | 150' | \$219 |
| AHS295 | 200' | \$299 |

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering

AVAILABLE OPTIONS:

GX390 MODELS ONLY

Electric Start upgrade option: \$299 Available on GX390 Hondas only. *All electric start models include battery and marine battery box.

DIESEL ENGINE DIRECT DRIVE MODELS

| | | | | | |
|-------|--------------------|---------|--------|---------|---------|
| 11L53 | 4.0 GPM @ 3200 PSI | KD420 | Kohler | GP Pump | \$2,829 |
| 11L56 | 4.0 GPM @ 3200 PSI | KD420ES | Kohler | GP Pump | \$3,339 |

DIESEL ENGINE V-BELT DRIVE MODELS

| | | | | | |
|-------|--------------------|---------|--------|---------|---------|
| 11L62 | 4.0 GPM @ 3200 PSI | KD420 | Kohler | GP Pump | \$3,299 |
| 11L67 | 4.0 GPM @ 3200 PSI | KD420ES | Kohler | GP Pump | \$3,899 |

GAS ENGINE GEAR DRIVE CAT PUMP MODELS

| | | | | | |
|-------|--------------------|-------|-------|----------|---------|
| 11H61 | 3.0 GPM @ 2000 PSI | GX160 | Honda | CAT Pump | \$1,339 |
| 11H63 | 4.0 GPM @ 3500 PSI | GX390 | Honda | CAT Pump | \$1,639 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Best Selling Electric Pressure Washers

VOLUME DISCOUNTS
2-5, 5%
6+, 7%
BUY MORE, SAVE MORE!



11M63



11M68

DRAIN JET KIT



Turn your pressure washer into a professional Drain Cleaning System. Rated to 122F. Deg - 4200PSI

- Jet 30' Kit \$55.99
- Jet 50' Kit \$89.99
- Jet 100' Kit \$119.99
- Jet 150' Kit \$229.00

MANUAL HOSE REEL



Manual rewind hose reels can be mounted to a flat surface

- 27.0006 50' \$65
- 27.0004 100' \$79
- 27.0005 150' \$95
- 27.0007 200' \$115

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with lifetime warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- 115 volt units include GFCI w/36' cord w/plug
- 230 volt units include 12' cord (no plug)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

*Auto Start/Stop (115V)- Call for Pricing
*Auto Start/Stop (230V) - Call for Pricing

NOTE: Only 1.5 HP, 2 HP and 3 HP models can ship UPS and require minor assembly.

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|-------|
| 11M61 | 2.0 GPM @ 1200 PSI | 1.5 HP | 115V/1PH/13A | GP Pump | \$739 |
| 11M59 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | AR Pump | \$759 |
| 11M63 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$759 |
| 11M65 | 3.0 GPM @ 1000 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$759 |
| 11M67 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | AR Pump | \$919 |
| 11M69 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | GP Pump | \$919 |

ELECTRIC WALL MOUNT DIRECT DRIVE MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 11M66 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | AR Pump | \$789 |
| 11M68 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$779 |
| 11M70 | 3.0 GPM @ 1000 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$779 |
| 11M76 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | AR Pump | \$949 |
| 11M72 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | GP Pump | \$939 |
| 11M78 | 4.0 GPM @ 2000 PSI | 6.0 HP | 230V/1PH/26A | AR Pump | \$1,719 |
| 11M74 | 4.0 GPM @ 2000 PSI | 6.0 HP | 230V/1PH/26A | GP Pump | \$1,629 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Best Selling Portable Electric Pressure Washers



11M30

VOLUME DISCOUNTS
2-5, 5%
6+, 7%
BUY MORE, SAVE MORE!

SKID MOUNT



S/11M33

ELECTRIC DIRECT DRIVE MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 11M12 | 2.0 GPM @ 1200 PSI | 1.5 HP | 115V/1PH/13A | GP Pump | \$799 |
| 11M14 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | AR Pump | \$819 |
| 11M15 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$819 |
| 11M17 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | AR Pump | \$989 |
| 11M18 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | GP Pump | \$979 |
| 11M21 | 4.0 GPM @ 2000 PSI | 6.0 HP | 230V/1PH/26A | AR Pump | \$1,619 |
| 11M20 | 4.0 GPM @ 2000 PSI | 6.0 HP | 230V/1PH/26A | GP Pump | \$1,679 |
| 11M30 | 3.0 GPM @ 3000 PSI | 6.0 HP | 230V/1PH/26A | AR Pump | \$1,619 |
| 11M23 | 3.5 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/35A | AR Pump | \$2,019 |
| 11M33 | 3.5 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/35A | GP Pump | \$1,879 |
| 11M26 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/35A | AR Pump | \$1,959 |
| 11M35 | 3.0 GPM @ 3500 PSI | 7.5 HP | 230V/1PH/35A | AR Pump | \$1,929 |
| 11M38 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/44A | AR Pump | \$2,139 |
| 11M40 | 3.5 GPM @ 4000 PSI | 10 HP | 230V/1PH/44A | AR Pump | \$2,179 |
| 11M29 | 7.0 GPM @ 2000 PSI | 10 HP | 230V/1PH/44A | AR Pump | \$2,199 |

ELECTRIC DIRECT DRIVE - 50 HZ MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 11M50 | 3.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$1,669 |
| 11M51 | 3.0 GPM @ 3000 PSI | 6.0 HP | 230V/1PH/37A | GP Pump | \$1,889 |
| 11M52 | 3.5 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/42A | GP Pump | \$2,039 |

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - 50 mesh inlet filter
 - Adjustable pressure unloader
 - Pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel axle
 - Thermo-sensor (prevents overheating in bypass mode)
 - Commercial/Industrial grade motors
 - 115 volt units include GFCI w/36' cord w/plug
 - 230 volt units include 12' cord (no plug)
- NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering
 - *Auto Start/Stop (115V) - Call for Pricing
 - *Auto Start/Stop (230V) - Call for Pricing
- UPS-Shipping Carton: No Extra Charge
Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

NOTE: Only 1.5 HP, 2 HP and 3 HP cart models can ship UPS and require minor assembly.

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

V-Belt Drive Electric Pressure Washer



12M23

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - Choice of reliable AR, Cat and General pumps
 - 3VX belt system offers balanced power transfer
 - 50 mesh inlet water filter
 - Adjustable pressure unloader
 - Pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel axle
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
 - TEFC Commercial/Industrial motors
 - Heavy duty motor controls in NEMA enclosure w/12' power cord (no plug)
- NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

- Steel Base - Black Powder Coated Skid Mount - precede model with S/, Specify when ordering

***Auto Start/Stop (230V) \$399**

***Auto Start/Stop w/time delay &**

***460V available – consult factory**

***NOTE: Review specs for models with Auto Start/Stop options as these units are custom made and NONCANCELABLE & NONRETURNABLE**

ELECTRIC V-BELT DRIVE MODELS

| | | | | | |
|-------|--------------------|--------|--------------|----------|---------|
| 12M11 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | AR Pump | \$1,909 |
| 12M13 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | CAT Pump | \$2,099 |
| 12M15 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$1,999 |
| 12M16 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | AR Pump | \$2,089 |
| 12M17 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | CAT Pump | \$2,269 |
| 12M19 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | GP Pump | \$2,165 |
| 12M21 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | AR Pump | \$2,239 |
| 12M23 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | CAT Pump | \$2,479 |
| 12M25 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | GP Pump | \$2,369 |
| 12M27 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | AR Pump | \$2,099 |
| 12M29 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | CAT Pump | \$2,335 |
| 12M31 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | GP Pump | \$2,225 |
| 12M33 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/40A | AR Pump | \$2,379 |
| 12M35 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/40A | CAT Pump | \$2,625 |
| 12M37 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/40A | GP Pump | \$2,515 |
| 12M39 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | AR Pump | \$2,289 |
| 12M41 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | CAT Pump | \$2,515 |
| 12M43 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | GP Pump | \$2,399 |
| 12M45 | 3.5 GPM @ 4000 PSI | 10 HP | 230V/1PH/40A | AR Pump | \$2,419 |
| 12M47 | 3.5 GPM @ 4000 PSI | 10 HP | 230V/3PH/23A | AR Pump | \$2,309 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Polychain Belt Drive Continuous Duty



13H34



POLYCHAIN DRIVE

S/13K08



SKID MOUNT

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - Easy access tip holder/gun holder/hose hanger on handle
 - Epoxy powder coated finish
 - 10,000 hour rated Gates polychain cogged belt (2 year warranty)
 - 50 mesh inlet water filter – *excludes 8 thru 15 GPM units
 - Adjustable pressure unloader
 - Low oil shutdown except GX690 models
 - Engine oil drain offers easy maintenance
 - Oversize pneumatic tires
 - Dual spring cushioned shock absorbing feet
 - 3/4" cold-rolled steel axle
 - Commercial/Industrial grade engines
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- NOTE: *8 thru 15 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

*NOTE: Electric start is standard on 18 HP – 30 HP V-Twin engine models and include battery, marine battery box, and remote six gallon poly fuel tank.

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: Specify when ordering.
Block Mounted K7 Unloader. 3500 psi max. \$159

AVAILABLE OPTIONS:
 GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All electric start models include battery and marine battery box.

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

| | | | | | |
|-------|---------------------|-------|---------|----------|---------|
| 13K05 | 15.0 GPM @ 2000 PSI | CH740 | Kohler* | CAT Pump | \$7,639 |
| 13K08 | 12.0 GPM @ 2800 PSI | CH750 | Kohler* | GP Pump | \$5,399 |
| 13H13 | 8.0 GPM @ 3000 PSI | GX630 | Honda* | GP Pump | \$3,659 |
| 13K19 | 10.8 GPM @ 3000 PSI | CH740 | Kohler* | GP Pump | \$4,893 |
| 13H23 | 4.0 GPM @ 3500 PSI | GX390 | Honda | CAT Pump | \$4,587 |
| 13H27 | 4.0 GPM @ 3500 PSI | GX390 | Honda | HP Pump | \$1,889 |
| 13H31 | 5.5 GPM @ 3500 PSI | GX630 | Honda* | AR Pump | \$3,409 |
| 13H34 | 5.5 GPM @ 3500 PSI | GX630 | Honda* | HP Pump | \$3,159 |
| 13H37 | 8.0 GPM @ 3500 PSI | GX690 | Honda* | AR Pump | \$3,689 |
| 11H39 | 8.0 GPM @ 3500 PSI | GX690 | Honda* | GP Pump | \$3,799 |
| 13H42 | 4.0 GPM @ 4000 PSI | GX390 | Honda | HP Pump | \$1,899 |
| 13H45 | 5.5 GPM @ 4000 PSI | GX630 | Honda* | AR Pump | \$3,415 |
| 13H48 | 5.5 GPM @ 4000 PSI | GX630 | Honda* | GP Pump | \$3,619 |

Poly Chain Belt Drive Continuous Duty



13H84



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote six gallon poly fuel tank
- All 20 HP – 40 HP units feature electric start and include battery & marine battery box

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S / Specify when ordering
ACI5000 5000 PSI Chemical Injector Assembly: \$69.99
ACI6000 6000 PSI Chemical Injector Assembly: \$124.99

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

| | | | | | |
|-------|--------------------|--------|--------|----------|---------|
| 13H52 | 4.5 GPM @ 5000 PSI | GX630 | Honda | AR Pump | \$3,899 |
| 13H56 | 4.5 GPM @ 5000 PSI | GX630 | Honda | CAT Pump | \$5,089 |
| 13H58 | 4.5 GPM @ 5000 PSI | GX630 | Honda | GP Pump | \$3,849 |
| 11H63 | 5.5 GPM @ 5000 PSI | GX690 | Honda | AR Pump | \$3,989 |
| 13H67 | 5.5 GPM @ 5000 PSI | GX690 | Honda | GP Pump | \$4,069 |
| 12H45 | 4.5 GPM @ 6000 PSI | GX690 | Honda | GP Pump | \$5,399 |
| 13K74 | 5.0 GPM @ 6000 PSI | CH740 | Kohler | GP Pump | \$6,359 |
| 13H79 | 4.0 GPM @ 7000 PSI | GX690 | Honda | AR Pump | \$5,889 |
| 13H84 | 4.0 GPM @ 7000 PSI | GX690 | Honda | GP Pump | \$5,699 |
| 13K87 | 6.0 GPM @ 7000 PSI | CH1000 | Kohler | AR Pump | \$8,819 |

Electric Continuous Duty Pressure Washers



13M39

ELECTRIC POLYCHAIN BELT DRIVE MODELS

| | | | | | |
|-------|--------------------|--------|--------------|----------|---------|
| 13M03 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | AR Pump | \$2,259 |
| 13M06 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | CAT Pump | \$2,479 |
| 13M10 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$2,315 |
| 13M12 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | AR Pump | \$2,325 |
| 13M15 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | CAT Pump | \$2,544 |
| 13M17 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | GP Pump | \$2,379 |
| 13M21 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | AR Pump | \$2,535 |
| 13M24 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | CAT Pump | \$2,719 |
| 13M28 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | GP Pump | \$2,545 |
| 13M32 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | AR Pump | \$2,539 |
| 13M34 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | CAT Pump | \$2,577 |
| 13M31 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | GP Pump | \$2,405 |
| 13M39 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | AR Pump | \$2,569 |
| 13M42 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | CAT Pump | \$2,754 |
| 13M44 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | GP Pump | \$2,579 |
| 13M46 | 5.5 GPM @ 3500 PSI | 15 HP | 230V/3PH/34A | AR Pump | \$2,949 |
| 13M48 | 5.5 GPM @ 3500 PSI | 15 HP | 230V/3PH/34A | HP Pump | \$3,105 |
| 13M51 | 8.0 GPM @ 3500 PSI | 20 HP | 230V/3PH/46A | GP Pump | \$4,779 |
| 13M52 | 4.0 GPM @ 4000 PSI | 15 HP | 230V/3PH/34A | AR Pump | \$3,079 |
| 13M54 | 4.0 GPM @ 4000 PSI | 15 HP | 230V/3PH/34A | HP Pump | \$3,099 |
| 13M56 | 4.5 GPM @ 4000 PSI | 15 HP | 230V/3PH/34A | CAT Pump | \$4,069 |

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/12' power cord (no plug)

NOTE: 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

Skid Mount - Precede model with S/ Specify when ordering

Block Mounted K7 Unloader.

3500 psi max. \$159

***Auto Start/Stop (230V). \$399**

***Auto Start/Stop w/time delay &**

***460V available – consult factory**

***NOTE: Review specs for models with Auto Start/Stop options as these units are custom made and**

NONCANCELABLE &

NONRETURNABLE

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers



Electric Continuous Duty Pressure Washers

VOLUME DISCOUNTS
 2-5, 5%
 6+, 7%
BUY MORE, SAVE MORE!



13M62

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/12' power cord (no plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/ Specify when ordering

ACI5000 5000 PSI Chemical Injector Assembly: \$69.99

ACI6000 6000 PSI Chemical Injector Assembly: \$124.99

***Auto Start/Stop (230V): \$399**

***Auto Start/Stop w/time delay & *460V available – consult factory**

***NOTE: Review specs for models with Auto Start/Stop options as these units are custom made and NONCANCELABLE & NONRETURNABLE.**

ELECTRIC POLYCHAIN BELT DRIVE HP MODELS

| | | | | | |
|-------|--------------------|-------|--------------|---------|---------|
| 13M62 | 4.5 GPM @ 5000 PSI | 20 HP | 230V/3PH/46A | GP Pump | \$4,949 |
| 13M68 | 5.5 GPM @ 5000 PSI | 20 HP | 230V/3PH/46A | GP Pump | \$4,899 |
| 13M71 | 4.5 GPM @ 6000 PSI | 20 HP | 230V/3PH/46A | GP Pump | \$5,849 |
| 13M73 | 4.0 GPM @ 7000 PSI | 20 HP | 230V/3PH/46A | AR Pump | \$6,549 |
| 13M77 | 4.0 GPM @ 7000 PSI | 20 HP | 230V/3PH/46A | GP Pump | \$6,379 |

Fast Track Order Line
 800.226.2646
 I know what I want

Order with Questions
 800.363.9855
 A little help, but I am ready

Inquiries
 800.964.9274
 Interested & need answers

Estate Sprayers 12 Volt

VOLUME DISCOUNTS
 2-5, 5%
 6+, 7%
BUY MORE, SAVE MORE!



ES18100SF-25



ES1030SF-15

- STANDARD FEATURES**
- ShurFlo 12VDC Diaphragm Pumps
 - Viton Valves & Santoprene Diaphragms
 - 15 or 25 Gallon Polypropylene Tank w/ Lid
 - 1/4" x 25' Polybraided Reinforced PVC Hose
 - Adjustable ConeJet Nozzle w/ 30° Offset
 - Polypropylene TriggerJet w/ 15" Poly Extension Wand

CHEM ESTATE SPRAYERS
 Chem Estate Sprayers are Great for applying Herbicides, Pesticides, or Fertilizer in either Small Spot Spraying Applications where precision is necessary, or Larger Jobs like Fence Rows, Yards, Parks, Sports Fields, Etc. Estate Sprayers can help you cover more ground in less time. The nozzle adjusts from an 80° Cone Broadcast Spray to a Straight Stream for Spot Spraying, & can shoot up to 25 feet horizontally. Choose from 15 or 25 gallons Tank Size to fit your needs. Pro-Chem Estate Sprayers can easily be mounted to your ATV, Garden Trailer, or Vehicle for Versatile Grounds Spraying Coverage.

DIMENSIONS:
 15 Gallon Models: 34" L x 16" W x 18" H
 25 Gallon Models: 36" L x 18" W x 22" H

PRO-CHEM SERIES ESTATE SPRAYERS

| | | | | | |
|--------------|-------------------|--------|---------|-------------------------|-------|
| ES1030SF-15 | 1.0 GPM / 30 PSI | 15 Gal | ShurFlo | SLV10-AA48 12VDC Pump | \$245 |
| ES1030SF-25 | 1.0 GPM / 30 PSI | 25 Gal | ShurFlo | SLV10-AA48 12VDC Pump | \$249 |
| ES3040SF-15 | 3.0 GPM / 40 PSI | 15 Gal | ShurFlo | 2088-343-135 12VDC Pump | \$279 |
| ES3040SF-25 | 3.0 GPM / 40 PSI | 25 Gal | ShurFlo | 2088-343-135 12VDC Pump | \$299 |
| ES18100SF-15 | 1.8 GPM / 100 PSI | 15 Gal | ShurFlo | 8000-543-238 12VDC Pump | \$269 |
| ES18100SF-25 | 1.8 GPM / 100 PSI | 25 Gal | ShurFlo | 8000-543-238 12VDC Pump | \$289 |

Fast Track Order Line
 800.226.2646
 I know what I want

Order with Questions
 800.363.9855
 A little help, but I am ready

Inquiries
 800.964.9274
 Interested & need answers

Drain Cleaners & Hydrostatic Line Testers



Line Jetters

15J33



Line Testers

UAG1050HU



FULL LINE OF JETTER KITS AVAILABLE!

JETTER/ DRAIN CLEANERS

| | | | | | |
|-------|-------|-------|---------|------------------|---------|
| 15J27 | GX200 | Honda | GP Pump | 3 GPM @ 2700 PSI | \$1,099 |
| 15J30 | GX270 | Honda | GP Pump | 3 GPM @ 3200 PSI | \$1,349 |
| 15J33 | GX390 | Honda | GP Pump | 4 GPM @ 4200 PSI | \$1,479 |

JETTER HOSE OPTIONS

| | | | |
|-----------|------------------------|----------|----------|
| PR004050S | 1/4" M x 1/4" M x 50' | 4400 PSI | \$79.99 |
| PR004100S | 1/4" M x 1/4" M x 100' | 4400 PSI | \$149.99 |
| PR004150S | 1/4" M x 1/4" M x 150' | 4400 PSI | \$209 |

HYDROSTATIC LINE TESTERS

| | | | | | |
|-----------|------------------|-------|-------|-----------------|---------|
| UAG1050HU | 10 GPM @ 500 PSI | GC190 | Honda | Udor Diaph Pump | \$1,619 |
| UAG1055HU | 10 GPM @ 550 PSI | GX160 | Honda | Udor Diaph Pump | \$1,699 |

OPTIONAL HOSE ACCESSORY KIT

| | | | |
|--------|-----------------------------|--------------------|----------|
| KSD010 | 10' Suction Hose w/strainer | 10' discharge hose | \$119.99 |
|--------|-----------------------------|--------------------|----------|

JETTER/ DRAIN CLEANERS

Our Drain Cleaners are self-contained gasoline powered drain jetters that clean out pipes without damage from moving parts. All units feature Honda engines and GP pumps. Units include pulsating jetter valve, adjustable pressure, jumper hose, roll cage, aircraft aluminum frame, hose reel, ball valve and jetter nozzle. For detailed specifications or more jetter options, consult factory.

HYDROSTATIC LINE TESTERS

Our Hydrostatic Line Testers are ready to pressure test the integrity of pipes and plumbing as required by local codes. The unique pump design allows for the injection of liquid chlorine to sanitize pipes without damaging the pump. Adjustable pressures up to 550 PSI and flow rates up to 10.5 GPM.

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Mobile Wash Skid Mounted



AST200
ASR100
KBP100
AHR250-1
TS/D4040HG311

5000 PSI MAX ADJUSTABLE
PROFESSIONAL FOAMER
14.0263 \$59.99



TANK, ALUMINUM SKID & INLET PLUMBING KITS

| | | |
|--------|---|---------|
| AST100 | 100 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing | \$799 |
| AST200 | 200 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing | \$1,029 |

OPTIONS

| | | |
|--------|---|----------|
| ASR100 | Aluminum Hose Reel Support Assembly with Mounting Hardware | \$169.99 |
| KBP100 | Tank Feed Unloader Bypass Return and Hose Assembly | \$59.99 |
| KTF100 | Float Valve Assembly – (shuts water off when tank is full) | \$125.99 |
| KTD075 | Tank Drain, 3/4" | \$89.99 |
| LWS100 | Low Water Shutdown – (shuts engine off when water level is low) | \$199.99 |

HOSE REELS

| | | |
|----------|---|----------|
| AHR100-1 | GP Hose Reel with Hardware, 100' x 3/8" maximum | \$139.99 |
| AHR200-1 | GP Hose Reel with Hardware, 200' x 3/8" maximum | \$189.99 |
| AHR250-1 | Hosetract Heavy Duty Hose Reel with Hardware, 250' x 3/8" maximum | \$309 |
| AHR250-3 | Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum | \$559 |

PRESSURE WASHER POWER UNITS

| | | | | | | | |
|----------------|--------------|--------------------|-------|-------|---------|----------|---------|
| TS/D3024HG332 | Direct Drive | 3.0 GPM @ 2400 PSI | GX160 | Honda | GP Pump | Tank-Fed | \$869 |
| TS/D3027HG332 | Direct Drive | 3.0 GPM @ 2700 PSI | GX200 | Honda | GP Pump | Tank-Fed | \$859 |
| TS/D3032HG331 | Direct Drive | 3.0 GPM @ 3200 PSI | GX270 | Honda | GP Pump | Tank-Fed | \$1,089 |
| TS/D4040HG331 | Direct Drive | 4.0 GPM @ 4000 PSI | GX390 | Honda | GP Pump | Tank-Fed | \$1079 |
| TS/VB4040HG331 | Belt Drive | 4.0 GPM @ 4000 PSI | GX390 | Honda | HP Pump | Tank-Fed | \$1149 |

Skid Mounted units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 100 or 200 gallon tank feed system. Available pressures of 2400 PSI to 4000 PSI and flow rates up to 10 GPM in belt, gear, and direct drive configurations. Add the tank/skid model with desired equipment options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which are chemical resistant and rustproof. All units feature adjustable pressure unloader valve. These skid units mount quickly and securely into truck beds, trailers or other vehicles.

NOTE: All 100 gallon units are factory assembled (200 gallon units require minor assembly), tested in the USA, and delivered ready to operate.

DIMENSIONS:

AST-100 with AHR250
39" W x 62" L x 44" H
(w/o hose reel)

39" W x 62" L x 31" H

AST-200 with AHR250
49" W x 62" L x 53" H
(w/o hose reel)

49" W x 62" L x 40" H

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

ATV Skid Mounted



CST050-GATOR
AHR250-G
RCS/G1050HH
266693
4465-1702 200'



AST050-GATOR
AHR100-1
RCS/E3027HG-TF
KBP100

Gator ATV NOT INCLUDED

TANK, ALUMINUM SKID & INLET PLUMBING KITS

| | | |
|--------------|--|-------|
| AST050-GATOR | Assy. Skid/Tank, 50 Gal. , Inlet Plumbing | \$589 |
| CST050-GATOR | Assy. Chem. Skid/Tank, 50 Gal., w/ Inlet Plumbing & Bypass | \$609 |

OPTIONS

| | | |
|-----------|---|----------|
| KBP100 | Tank Feed Unloader Bypass Return & Hose Assy. | \$65.99 |
| | (CST050-GATOR already has Bypass) | \$609 |
| 266693 | Ag. Spray Gun, compare to JD9 | \$175.99 |
| 4465-1702 | Ag. Hose, 3/8", Yellow, Select 200' or 400' (Price is per foot) | \$1.49 |
| KTF100 | Float Valve Assembly – (shuts water off when tank is full) | \$125.99 |
| KTD075 | Tank Drain, 3/4" | \$85.99 |
| LWS100 | Low Water Shutdown – (shuts engine off when water level is low) | \$195.99 |

HOSE REELS

| | | |
|----------|---|----------|
| AHR100-1 | GP Hose Reel with Hardware, 100' x 3/8" maximum | \$139.99 |
| AHR200-1 | GP Hose Reel with Hardware, 200' x 3/8" maximum | \$179.99 |
| AHR250-1 | Hosetract Hose Reel w/ Hardware, 250' x 3/8" max. (High Pressure Jumper Hose) | \$309 |
| AHR250-G | Hosetract Hose Reel w/ Hardware, 250' x 3/8" max. (Yellow AG Jumper Hose) | \$299 |
| AHR250-3 | Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum | \$559 |

POWER UNITS

| | | |
|----------------|---|---------|
| RCS/E3027HG-TF | Direct Drive, 3.0 GPM @ 2700 PSI, GX200 Honda, GP Pump, Tank-Fed, Roll Cage | \$839 |
| RCS/G1050HH | Gear Drive Chem. Sprayer, 10 GPM @ 500 PSI, GX160 Honda, Hypro Roll Cage Skid | \$1,679 |

ATV Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 50 gallon tank feed system. Available pressures from 500 PSI to 4000 PSI and flow rates up to 10 GPM in gear, and direct drive configurations. Add the tank/skid model with desired equipment and options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which are chemical resistant and rustproof. These units mount quickly and securely into Gator, Rhino, Mule or other ATV vehicles.

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

AST050-GATOR
 Dimensions: (with AHR100-1)
 38"W x 48"L x 44"H

CST050-GATOR
 Dimensions: (with AHR250-G)
 38"W x 48"L x 49"H

Fast Track Order Line
800.226.2646
 I know what I want

Order with Questions
800.363.9855
 A little help, but I am ready

Inquiries
800.964.9274
 Interested & need answers

Roll Cage Protected Long Run Pressure Washers

HEAVY-DUTY
COMMERCIAL
GAS



17H23
PKW005

SHOWN WITH OPTIONAL
WHEEL KIT ADD PKW005
\$219.99

NEW FOR 2015



17K12

STANDARD FEATURES

- Rugged powder coated steel frame
 - Removable roll cage w/ hose reel platform. Dimensions: 43"L x 21"W x 36"H
 - On board 15 gallon poly fuel tank
 - Full sized battery w/ marine battery box
 - Skid mount or portable add PKW005
 - 20 HP to 40 HP Commercial/Industrial gasoline engines
 - Engine and pump oil drains offer easy maintenance
 - Polychain or V-belt drive
 - Adjustable pressure unloader
 - Many flow rates and pressures available
- NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
 - Tank feed plumbing
 - 50' high pressure hose w/quick connects
 - Maxi-Flo 20% chemical injector assembly w/ quick connects
 - 4 color-coded QC spray nozzles
 - 1 color-coded QC chemical nozzle
- NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

- BRK100 Brake Kit: \$39.99
 - HRK-HDC (Polychain) or HRK-HDCV (V-Belt) Hose Reel Kits, 250' x 3/8" max. w/ no add'l hose: \$299
 - HRK-HDC5K Hose Reel Kit, 5000 PSI units: \$599
 - HRK-HDC7K Hose Reel Kit, 6000 & 7000 PSI units: \$699
 - PKW005 Wheel Kit w/ Handle Assembly: \$219.99
 - ACI5000 5000 PSI Chemical Injector Assembly: \$69.99
 - ACI6000 6000 PSI Chemical Injector Assembly: \$124.99
 - Jetter Valve Kit: Call for price & Availability
- NOTE: Portable units come with bypass plumbing.

HEAVY-DUTY POLYCHAIN DRIVE GAS ENGINE MODELS

| | | | | | |
|-------|---------------------|--------|--------|---------|---------|
| 17K12 | 12.0 GPM @ 2800 PSI | CH750 | Kohler | GP Pump | \$6,299 |
| 17H07 | 8.0 GPM @ 3000 PSI | GX630 | Honda | GP Pump | \$4,499 |
| 17H12 | 8.0 GPM @ 3500 PSI | GX690 | Honda | GP Pump | \$4,759 |
| 17H15 | 5.5 GPM @ 4000 PSI | GX630 | Honda | GP Pump | \$4,469 |
| 17H19 | 5.5 GPM @ 5000 PSI | GX690 | Honda | GP Pump | \$4,849 |
| 17H23 | 4.5 GPM @ 6000 PSI | GX690 | Honda | GP Pump | \$5,869 |
| 17H26 | 4.0 GPM @ 7000 PSI | GX690 | Honda | GP Pump | \$6,389 |
| 17K29 | 6.0 GPM @ 7000 PSI | CH1000 | Kohler | AR Pump | \$9,519 |

HEAVY-DUTY V-BELT DRIVE GAS ENGINE MODELS

| | | | | | |
|-------|--------------------|-------|----------|---------|---------|
| 17H34 | 8.0 GPM @ 3000 PSI | GX630 | Honda | GP Pump | \$4,229 |
| 17V35 | 5.5 GPM @ 3500 PSI | 18 HP | Vanguard | HP Pump | \$3,639 |
| 17H37 | 5.5 GPM @ 3500 PSI | GX630 | Honda | HP Pump | \$3,939 |
| 17V42 | 5.0 GPM @ 4000 PSI | 18 HP | Vanguard | AR Pump | \$3,519 |
| 17H43 | 5.0 GPM @ 4000 PSI | GX630 | Honda | AR Pump | \$3,819 |
| 17H41 | 8.0 GPM @ 3500 PSI | GX690 | Honda | GP Pump | \$4,559 |
| 17H44 | 5.5 GPM @ 4000 PSI | GX630 | Honda | GP Pump | \$4,279 |
| 17H46 | 5.5 GPM @ 5000 PSI | GX690 | Honda | GP Pump | \$4,609 |
| 17H53 | 4.5 GPM @ 6000 PSI | GX690 | Honda | GP Pump | \$5,689 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Roll Cage Protected Diesel Pressure Washers



21K36
PKW003-C

HEAVY-DUTY
COMMERCIAL
DIESEL

SHOWN
WITH
OPTIONAL
WHEEL KIT
PKW003-C
\$599



21K59

2-CYLINDER WATER COOLED MODELS

| | | | | | |
|-------|--------------------|--------|--------|---------|----------|
| 21D02 | 8.0 GPM @ 3000 PSI | Z602B1 | Kubota | GP Pump | \$12,139 |
| 21K04 | 8.0 GPM @ 3000 PSI | KDW702 | Kohler | GP Pump | \$9769 |
| 21D07 | 5.5 GPM @ 3500 PSI | Z602B1 | Kubota | HP Pump | \$11,479 |
| 21K09 | 5.5 GPM @ 3500 PSI | KDW702 | Kohler | HP Pump | \$9,079 |
| 21D11 | 5.0 GPM @ 4000 PSI | Z602B1 | Kubota | AR Pump | \$11,389 |
| 21K13 | 5.0 GPM @ 4000 PSI | KDW702 | Kohler | AR Pump | \$8,969 |

3-CYLINDER WATER COOLED MODELS

| | | | | | |
|-------|---------------------|----------|--------|---------|----------|
| 21D16 | 10.0 GPM @ 3000 PSI | DH1005B1 | Kubota | GP Pump | \$12,199 |
| 21K18 | 10.0 GPM @ 3000 PSI | KDW1003 | Kohler | GP Pump | \$9,799 |
| 21D21 | 8.0 GPM @ 3500 PSI | DH1005B1 | Kubota | AR Pump | \$11,999 |
| 21K25 | 8.0 GPM @ 3500 PSI | KDW1003 | Kohler | AR Pump | \$9,659 |
| 21D27 | 8.0 GPM @ 4000 PSI | DH1005B1 | Kubota | HP Pump | \$12,249 |
| 21K30 | 8.0 GPM @ 4000 PSI | KDW1003 | Kohler | HP Pump | \$9,879 |
| 21D33 | 5.5 GPM @ 5000 PSI | DH1005B1 | Kubota | AR Pump | \$12,669 |
| 21K36 | 5.5 GPM @ 5000 PSI | KDW1003 | Kohler | AR Pump | \$10,099 |
| 21D39 | 4.5 GPM @ 6000 PSI | DH1005B1 | Kubota | AR Pump | \$14,939 |
| 21K42 | 4.5 GPM @ 6000 PSI | KDW1003 | Kohler | AR Pump | \$10,979 |
| 21D47 | 4.0 GPM @ 7000 PSI | DH1005B1 | Kubota | AR Pump | \$14,299 |
| 21K51 | 4.0 GPM @ 7000 PSI | KDW1003 | Kohler | AR Pump | \$11,599 |
| 21D55 | 4.0 GPM @ 7000 PSI | DH1005B1 | Kubota | GP Pump | \$15,589 |
| 21K59 | 4.0 GPM @ 7000 PSI | KDW1003 | Kohler | GP Pump | \$11,459 |

4-CYLINDER WATER COOLED MODELS

| | | | | | |
|-------|--------------------|----------|--------|---------|----------|
| 21D64 | 6.0 GPM @ 7000 PSI | V1505TB1 | Kubota | AR Pump | \$16,539 |
|-------|--------------------|----------|--------|---------|----------|

STANDARD FEATURES

- Rugged powder coated steel w/ fork lift channels
 - Removable roll cage w/ lifting hooks
Dimensions: 47"L x 41"W x 48"H
 - On board 15 gallon poly fuel tank
 - Full sized battery w/ marine battery box
 - Skid mount or portable PKW 003-C
 - 16.8 HP to 43 HP Commercial/Industrial diesel engines
 - Engine and pump oil drains offer easy maintenance
 - V-belt drive
 - Adjustable pressure unloader
 - Many flow rates and pressures available
- NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
 - Tank feed plumbing
 - 50' high pressure hose w/quick connects
 - Maxi-Flo 20% chemical injector assembly w/ quick connects
 - 4 color-coded QC spray nozzles
 - 1 color-coded QC chemical nozzle
- NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

- **PKW004-C Wheel Kit w/ Handle Assembly: \$579**
 - **ACI5000 5000 PSI Chemical Injector Assembly: \$69.99**
 - **ACI6000 6000 PSI Chemical Injector Assembly: \$124.99**
 - **Jetter Valve Kit: Call for pricing & Availability**
- NOTE: Portable units come with bypass plumbing

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers



Trailer Package Portable "Road Ready"

16T05
AHS290PRO
988VR-100



COMPLETE HEAVY DUTY
COMMERCIAL TRAILER PACKAGE

Water Cannon Pressure Washers meet or exceed all 2015 EPA and State of California regulations; relating to fuel tanks, vents and carbon canisters and can be sold in all 50 States in the US. We use low permeation fuel tanks and fuel lines. Our fuel caps do not vent externally to the atmosphere and do vent to the engine air cleaners as required by law. Additionally we do include an appropriate sized carbon canister as required by the State of California.

**SELF-CONTAINED,
NO OUTSIDE POWER
SOURCE NEEDED**



up to 5000 PSI

GAS ENGINE V-BELT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|---------|--------------------|-------------|---------|---------|
| 16T03 | 8.0 GPM @ 3000 PSI | GX630 Honda | GP Pump | \$7,739 |
| 16T05 | 5.5 GPM @ 3500 PSI | GX630 Honda | HP Pump | \$7,465 |
| 16T07 | 8.0 GPM @ 3500 PSI | GX690 Honda | GP Pump | \$8,499 |
| 16T09 | 5.5 GPM @ 4000 PSI | GX630 Honda | GP Pump | \$7,799 |
| * 16T11 | 5.5 GPM @ 5000 PSI | GX690 Honda | GP Pump | \$8,875 |
| * 16T14 | 4.5 GPM @ 6000 PSI | GX690 Honda | GP Pump | \$9,799 |

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|---------|------------------|--------------|---------|----------|
| * 16T16 | 4 GPM @ 7000 PSI | GX690 Honda | GP Pump | \$9,999 |
| * 16T18 | 6 GPM @ 7000 PSI | 40 HP Kohler | AR Pump | \$12,835 |

HOSE OPTIONS

| | | | |
|-------------|----------|------------------------------|-------|
| AHS235 | 4000 PSI | 3/8" X 100' Black W/Qc's | \$89 |
| AHS240 | 4000 PSI | 3/8" X 150' Black W/Qc's | \$179 |
| AHS245PRO | 4000 PSI | 3/8" X 200' Black W/Qc's | \$229 |
| AHS285 | 4000 PSI | 3/8" X 100' Gray W/Qc's | \$109 |
| AHS290PRO | 4000 PSI | 3/8" X 150' Gray W/Qc's | \$199 |
| AHS295 | 4000 PSI | 3/8" X 200' Gray W/Qc's | \$259 |
| * AHS335 | 6000 PSI | 3/8" X 100' Black W/Qc's | \$129 |
| * AHS335-6K | 6000 PSI | 3/8" X 100' Black W/10K Qc's | \$179 |
| * AHS835 | 7200 PSI | 3/8" X 100' Black W/10K Qc's | \$259 |
| 988VR-100 | | 3/4" X 100' HD Garden Hose | \$85 |

* For 5000 PSI, 6000 PSI, and 7000 PSI models only

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HD COMMERCIAL SKID FEATURES

- Rugged powder coated steel frame
- On board 15 gallon poly fuel tank
- Full sized battery w/ marine battery box
- 20 HP to 40 HP Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader

AVAILABLE OPTIONS


- KCT025 25 gallon Chemical Tank: \$119.99**
- KTF200 Float valve kit: \$89.99**
- KAV001-I Air blowout valve/ winterizing kit: \$19.99**
- LWS100 Low water shut-down: \$159.99**
- ACI5000 5000 PSI Chemical Injector Assembly: \$69.99**
- ACI6000 6000 PSI Chemical Injector Assembly: \$124.99**
- Jetter Valve Kit: Call for pricing & Availability**

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Drain Cleaners Trailer Package "Road Ready"




16T57

FOOT VALVE

COMPLETE
HEAVY DUTY COMMERCIAL
JETTER TRAILER PACKAGE



NOZZLE RACK



TRAILER FEATURES

- 500' x 3/8" or 350' x 1/2" capacity electric high pressure hose reel
- Chemical resistant coating
- 200 gallon water tank w/ float valve
- Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HDC JETTER SKID FEATURES

- Rugged powder coated steel frame
- On board 15 gallon poly fuel tank
- Full sized battery w/ marine battery box
- 18 HP to 30 HP Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Pressure regulating unloader
- Pump Mounted Jetter Pulse Valve
- Foot Valve w/ 8' Jumper Hoses
- 6- Nozzle Rack w/ 3 Nozzles Included:
 - Penetrator – dislodges blockage (1 Forward Jet, 3 Back Jets)
 - Flusher – flushes loose debris (6 Back Jets)
 - De-icer/De-Greaser – removes grease, hard soap or even ice from heavily blocked lines (3 Forward Angle Jets, 6 Back Jets)

AVAILABLE OPTIONS

- KWT025 25 gallon Winterizing Tank.
- LWS100 Low water shut-down: \$159.99

GAS ENGINE V-BELT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|-------|--------------------|----------------|---------|---------|
| 16T52 | 5.5 GPM @ 3500 PSI | 18 HP Vanguard | HP Pump | \$7,999 |
| 16T53 | 5.5 GPM @ 3500 PSI | GX630 Honda | HP Pump | \$8,299 |
| 16T55 | 8.0 GPM @ 3500 PSI | GX690 Honda | GP Pump | \$8,669 |

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|--------|-------------------|--------------|---------|----------|
| *16T57 | 10 GPM @ 3000 PSI | 27 HP Kohler | GP Pump | \$9,999 |
| *16T58 | 12 GPM @ 2800 PSI | 30 HP Kohler | GP Pump | \$10,219 |

JETTER HOSE OPTIONS

| | | | | | |
|-------------|----------|-------------------|----------|---------|-------|
| PR006200S | 3600 PSI | 3/8" X 200' Black | 3/8" MPT | SO x SW | \$399 |
| PR006250S | 3600 PSI | 3/8" X 250' Black | 3/8" MPT | SO x SW | \$459 |
| PR006300S | 3600 PSI | 3/8" X 300' Black | 3/8" MPT | SO x SW | \$579 |
| PR006350S | 3600 PSI | 3/8" X 350' Black | 3/8" MPT | SO x SW | \$559 |
| PR006400S | 3600 PSI | 3/8" X 400' Black | 3/8" MPT | SO x SW | \$615 |
| PR006450S | 3600 PSI | 3/8" X 450' Black | 3/8" MPT | SO x SW | \$685 |
| PR006500S | 3600 PSI | 3/8" X 500' Black | 3/8" MPT | SO x SW | \$765 |
| * PR008200S | 4000 PSI | 1/2" X 200' Green | 1/2" MPT | SO x SW | \$589 |
| * PR008250S | 4000 PSI | 1/2" X 250' Green | 1/2" MPT | SO x SW | \$645 |
| * PR008300S | 4000 PSI | 1/2" X 300' Green | 1/2" MPT | SO x SW | \$765 |
| * PR008350S | 4000 PSI | 1/2" X 350' Green | 1/2" MPT | SO x SW | \$879 |

* 1/2" hose available with these models only

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Hot Water Portable Electric

HOT



18M34



18M23

2 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 18M23 | 2.0 GPM @ 1500 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$2,259 |
| 18M26 | 3.0 GPM @ 1000 PSI | 2.0 HP | 115V/1PH/18A | GP Pump | \$2,269 |
| 18M29 | 3.0 GPM @ 1500 PSI | 3.0 HP | 230V/1PH/12A | GP Pump | \$2,409 |

4 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 18M31 | 3.0 GPM @ 3000 PSI | 6.0 HP | 230V/1PH/26A | AR Pump | \$3,359 |
| 18M34 | 4.0 GPM @ 2000 PSI | 6.0 HP | 230V/1PH/26A | GP Pump | \$3,459 |
| 18M37 | 3.5 GPM @ 2500 PSI | 6.0 HP | 230V/1PH/26A | GP Pump | \$3,469 |
| 18M40 | 3.5 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/35A | GP Pump | \$3,919 |
| 18M42 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/44A | AR Pump | \$3,729 |
| 18M45 | 3.5 GPM @ 4000 PSI | 10 HP | 230V/1PH/44A | AR Pump | \$3,769 |

STANDARD FEATURES

- Rugged powder coated steel frame
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)

NOTE: 115V units include GFCI with 35' cord, 230V units include 12' cord (no plug). All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS:

ALL MODELS

ATK010 Inline Adjustable Thermostat: \$119

AVAILABLE OPTIONS:

4 WHEEL MODELS ONLY

BRK100 Brake Kit: \$39.99

HRK415 Hose Reel Kit, 150' x 3/8" max.

w/ no add'l hose: \$179

CAT pumps available

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Hot Water Portable Electric

HOT



18M59

EZ ACCESS FLOAT TANK W/ SLIDE OUT FEATURE



18M62

4 WHEEL PORTABLE V-BELT DRIVE ELECTRIC MODELS

| | | | | | |
|-------|--------------------|--------|--------------|---------|---------|
| 18M48 | 3.0 GPM @ 2500 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$3,669 |
| 18M51 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$3,759 |
| 18M53 | 4.0 GPM @ 2000 PSI | 5.0 HP | 230V/3PH/12A | GP Pump | \$3,459 |
| 18M56 | 5.0 GPM @ 1500 PSI | 5.0 HP | 230V/1PH/25A | GP Pump | \$4,029 |
| 18M59 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/1PH/33A | GP Pump | \$4,429 |
| 18M62 | 4.0 GPM @ 3000 PSI | 7.5 HP | 230V/3PH/17A | GP Pump | \$4,109 |
| 18M64 | 5.0 GPM @ 2000 PSI | 7.5 HP | 230V/1PH/33A | GP Pump | \$4,229 |
| 18M67 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/1PH/46A | HP Pump | \$4,299 |
| 18M70 | 4.0 GPM @ 3500 PSI | 10 HP | 230V/3PH/23A | HP Pump | \$4,289 |
| 18M73 | 5.0 GPM @ 3000 PSI | 10 HP | 230V/1PH/46A | HP Pump | \$4,529 |
| 18M75 | 5.0 GPM @ 3000 PSI | 10 HP | 230V/3PH/23A | HP Pump | \$4,479 |

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & pneumatic tires
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Low speed pump w/ thermo-sensor (prevents over heating in bypass mode)
- 12' power cord (no plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Adjustable high pressure chemical metering system
- 4 color-coded QC spray nozzles

AVAILABLE OPTIONS

ATK010 Inline Adjustable Thermostat \$119
BRK100 Brake Kit: \$39.99
HRK415 Hose Reel Kit, 150' x 3/8" max. w/ no add'l hose: \$179
 AR and CAT pumps available

Fast Track Order Line
 800.226.2646
 I know what I want

Order with Questions
 800.363.9855
 A little help, but I am ready

Inquiries
 800.964.9274
 Interested & need answers

Hot Water Best Selling Pressure Washer

HOT



18H26



18L34

PORTABLE GASOLINE ENGINE 12V MODELS

| | | | | | |
|-------|--------------------|-------|--------|----------|---------|
| 18R13 | 2.5 GPM @ 4000 PSI | EX270 | Subaru | GP Pump | \$3,509 |
| 18R17 | 3.0 GPM @ 3000 PSI | EX270 | Subaru | GP Pump | \$3,509 |
| 18R19 | 3.0 GPM @ 2500 PSI | EX170 | Subaru | GP Pump | \$2,749 |
| 18H18 | 4.0 GPM @ 4200 PSI | GX390 | Honda | AR Pump | \$3,699 |
| 18H22 | 4.0 GPM @ 4200 PSI | GX390 | Honda | CAT Pump | \$4,029 |
| 18H26 | 4.0 GPM @ 4200 PSI | GX390 | Honda | GP Pump | \$3,715 |
| 18R28 | 4.0 GPM @ 2500 PSI | EX270 | Subaru | GP Pump | \$3,599 |

PORTABLE DIESEL ENGINE 12V MODELS

| | | | | | |
|-------|--------------------|---------|--------|----------|---------|
| 18L30 | 4.0 GPM @ 3200 PSI | KD420ES | Kohler | CAT Pump | \$5,799 |
| 18L34 | 4.0 GPM @ 3200 PSI | KD420ES | Kohler | GP Pump | \$5,579 |

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & pneumatic tires
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box. Subaru models are manual recoil start. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

ATK005 Adjustable Thermostat \$119
 BRK100 Brake Kit \$39.99
 HRK415 Hose Reel Kit, 150' x 3/8" max. w/no add'l hose \$179
 AR, CAT, and GP gear & belt drive pumps available

Fast Track Order Line
 800.226.2646
 I know what I want

Order with Questions
 800.363.9855
 A little help, but I am ready

Inquiries
 800.964.9274
 Interested & need answers

Hot Water Hot Box Attachment

HOT



18B56



18B73

SHOWN WITH
OPTIONAL WHEEL KIT



18B71
PKW006

HOT BOX STATIONARY (LP-12V-115V) MODELS

| | | | |
|-------|-----------------|--------------------|---------|
| 18B47 | LP Gas | 4.0 GPM @ 4200 PSI | \$2,339 |
| 18B44 | LP Gas | 6.0 GPM @ 4200 PSI | \$2,339 |
| 18B51 | 12 Volt Diesel | 4.0 GPM @ 4200 PSI | \$1,669 |
| 18B56 | 12 Volt Diesel | 6.0 GPM @ 4200 PSI | \$1,889 |
| 18B59 | 12 Volt Diesel | 8.0 GPM @ 4200 PSI | \$2,259 |
| 18B62 | 115 Volt Diesel | 3.0 GPM @ 4200 PSI | \$1,599 |
| 18B65 | 115 Volt Diesel | 4.0 GPM @ 4200 PSI | \$1,649 |
| 18B68 | 115 Volt Diesel | 6.0 GPM @ 4200 PSI | \$1,879 |
| 18B70 | 115 Volt Diesel | 8.0 GPM @ 4200 PSI | \$2,739 |

HOT BOX HORIZONTALS (12V-115V) MODELS

| | | | |
|-------|-----------------|--------------------|---------|
| 18B71 | 12 Volt Diesel | 4-6 GPM @ 4200 PSI | \$2,099 |
| 18B69 | 115 Volt Diesel | 4-6 GPM @ 4200 PSI | \$2,079 |

HOT BOX PORTABLE 2 WHEEL (115V) MODELS

| | | | |
|-------|-----------------|--------------------|---------|
| 18B73 | 115 Volt Diesel | 3.0 GPM @ 4200 PSI | \$1,719 |
| 18B77 | 115 Volt Diesel | 4.0 GPM @ 4200 PSI | \$1,749 |

STANDARD FEATURES

- Rugged powder coated steel frame
- Super efficient schedule 80 coil
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank with fuel filter
- Reliable Beckett burners
- Adjustable thermostat temperature control
- Safety pressure relief valve
- 35' cord with GFCI on 115 volt models
- Pneumatic tires on portable models

NOTE: 12 volt models, require 20 amp continuous power supply (not included).
NOTE: These models are to be used in conjunction with an existing pressure washer. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

AVAILABLE OPTIONS:
HORIZONTAL MODELS ONLY
PKW006 Wheel Kit w/Handle Assembly \$179

Hot Water Skid Mounted Pressure Washer

HOT



19H35

HOT WATER SUPER SKID GAS ENGINE V-BELT DRIVE 12 VOLT MODELS

| | | | | | |
|-------|--------------------|-------|----------|----------|---------|
| 19H02 | 4.0 GPM @ 3500 PSI | GX390 | Honda | HP Pump | \$4,329 |
| 19H05 | 5.0 GPM @ 3000 PSI | GX390 | Honda | CAT Pump | \$4,419 |
| 19H09 | 5.0 GPM @ 3000 PSI | GX390 | Honda | HP Pump | \$4,429 |
| 19H12 | 5.0 GPM @ 3500 PSI | GX630 | Honda | CAT Pump | \$5,369 |
| 19H18 | 5.0 GPM @ 4000 PSI | GX630 | Honda | CAT Pump | \$6,199 |
| 19H20 | 5.5 GPM @ 3500 PSI | GX630 | Honda | HP Pump | \$5,079 |
| 19V35 | 5.5 GPM @ 3500 PSI | 18 HP | Vanguard | HP Pump | \$4,819 |
| 19R23 | 5.5 GPM @ 3500 PSI | EH650 | Subaru | HP Pump | \$5,149 |
| 19H16 | 5.5 GPM @ 4000 PSI | GX630 | Honda | GP Pump | \$5,539 |
| 19H10 | 7.0 GPM @ 4000 PSI | GX690 | Honda | AR Pump | \$6,119 |
| 19H14 | 8.0 GPM @ 3000 PSI | GX630 | Honda | GP Pump | \$5,999 |
| 19H19 | 8.0 GPM @ 3500 PSI | GX690 | Honda | GP Pump | \$6,119 |

HOT WATER SUPER SKID W/ 115 VOLT, 2500 WATT, 20 AMP GENERATOR

| | | | | | |
|-------|--------------------|-------|----------|----------|---------|
| 19H27 | 5.0 GPM @ 3500 PSI | GX630 | Honda | CAT Pump | \$6,059 |
| 19R34 | 5.2 GPM @ 3200 PSI | EH650 | Subaru | HP Pump | \$5,739 |
| 19V33 | 5.5 GPM @ 3000 PSI | 18 HP | Vanguard | HP Pump | \$5,599 |
| 19H32 | 5.5 GPM @ 3500 PSI | GX630 | Honda | HP Pump | \$5,879 |
| 19H29 | 5.5 GPM @ 4000 PSI | GX690 | Honda | GP Pump | \$6,329 |
| 19H33 | 7.0 GPM @ 3500 PSI | GX690 | Honda | AR Pump | \$6,669 |
| 19H35 | 8.0 GPM @ 3000 PSI | GX690 | Honda | GP Pump | \$6,769 |

STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
 - 48"L x 43"W x 48"H frame dimensions offer versatile installation
 - Super efficient schedule 80 coil
 - Stainless steel coil wrap, burner hood, and control panel
 - 15 gallon poly diesel and gasoline (excludes GX390 models) fuel tanks with fuel filters
 - Reliable Honda & Subaru gasoline Commercial/Industrial electric start engines
 - Includes 12 volt battery and marine battery box
 - Fully self-contained, no external power required
 - Choice of reliable AR, Cat and General pumps
 - Reliable Beckett burners
 - Adjustable thermostat
 - 3VX belt system offers balanced power transfer
 - Engine and pump oil drains offer easy maintenance
 - Safety pressure relief valve
- NOTE: 12V units include 20 amp charging system. 115V units include 2500 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

- **PKW003-C Wheel Kit: \$559**
- **FTK001 Float Tank Kit w/ High Pressure Chemical Metering Valve: \$375**

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers



Hot Water Skid Mounted or Portable Diesel Pressure Washer

HOT



19K07

DIESEL ENGINE / DIESEL BURNER



- STANDARD FEATURES**
- Rugged powder coated steel, low-profile frame w/ fork lift channels
 - Frame Dimensions: 53"L x 51"W x 52"H
- All models except 19K01
48" L x 43" W x 48" H Model
19K01Only
- Super efficient schedule 80 coil
 - Stainless steel coil wrap, burner hood, and control panel
 - Dual 15 gallon poly diesel fuel tanks with fuel filters
 - Reliable Kohler Diesel Commercial/ Industrial electric start engines
 - Includes 12 volt battery and marine battery box
 - Fully self-contained, no external power required
 - Choice of reliable AR, Cat and General pumps
 - Reliable Beckett burners
 - Adjustable thermostat
 - 3VX belt system offers balanced power transfer
 - Engine and pump oil drains offer easy maintenance
 - Safety pressure relief valve
- NOTE: 12V units include 45 amp charging system. 115V units include 2500 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

- STANDARD ACCESSORIES**
- Gun/wand assembly with insulated grip and quick connects
 - 50' high pressure hose w/quick connects
 - Maxi-Flo 20% chemical injector assembly w/quick connects
 - 4 color-coded QC spray nozzles
 - 1 color-coded QC chemical nozzle

- AVAILABLE OPTIONS**
- PKW003-C Wheel Kit: \$559**
 - FTK001 Float Tank Kit w/ High Pressure Chemical Metering Valve: \$375**

HOT WATER SUPER SKID DIESEL ENGINE V-BELT DRIVE 12 VOLT MODELS

| | | | | | |
|-------|--------------------|----------|--------|---------|----------|
| 19K01 | 4.0 GPM @ 3200 PSI | KD420ES | Kohler | GP Pump | \$6,309 |
| 19K30 | 5.5 GPM @ 3500 PSI | Z602B1 | Kubota | HP Pump | \$10,189 |
| 19K34 | 5.5 GPM @ 4000 PSI | DH1005B1 | Kubota | GP Pump | \$13,079 |
| 19K03 | 5.5 GPM @ 4000 PSI | KDW1003 | Kohler | GP Pump | \$10,729 |
| 19K38 | 7.0 GPM @ 4000 PSI | DH1005B1 | Kubota | AR Pump | \$13,149 |
| 19K07 | 7.0 GPM @ 4000 PSI | KDW1003 | Kohler | AR Pump | \$10,709 |
| 19K42 | 8.0 GPM @ 3500 PSI | DH1005B1 | Kubota | GP Pump | \$13,349 |
| 19K11 | 8.0 GPM @ 3500 PSI | KDW1003 | Kohler | GP Pump | \$10,899 |

HOT WATER SUPER SKID W/ 115 VOLT, 2500 WATT, 20 AMP GENERATOR

| | | | | | |
|-------|--------------------|----------|--------|---------|----------|
| 19K45 | 5.5 GPM @ 4000 PSI | DH1005B1 | Kubota | GP Pump | \$13,799 |
| 19K22 | 5.5 GPM @ 4000 PSI | KDW1003 | Kohler | GP Pump | \$11,409 |
| 19K49 | 7.0 GPM @ 4000 PSI | DH1005B1 | Kubota | AR Pump | \$13,729 |
| 19K24 | 7.0 GPM @ 4000 PSI | KDW1003 | Kohler | AR Pump | \$11,299 |
| 19K55 | 8.0 GPM @ 3500 PSI | DH1005B1 | Kubota | GP Pump | \$13,929 |
| 19K26 | 8.0 GPM @ 3500 PSI | KDW1003 | Kohler | GP Pump | \$11,499 |

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Hot Water Trailer "Road Ready"

HOT

18TRH20
AHS290PRO
988VR-100

VOLUME DISCOUNTS
2-5, 5%
6+, 7%
BUY MORE, SAVE MORE!



COMPLETE "ROAD READY" TRAILER PACKAGE

GAS ENGINE 12V DIRECT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|---------|------------------|-------|----------|---------|
| 18TRH16 | 4 GPM @ 4200 PSI | GX390 | AR Pump | \$7,729 |
| 18TRH17 | 4 GPM @ 4200 PSI | GX390 | CAT Pump | \$7,849 |
| 18TRH20 | 4 GPM @ 4200 PSI | GX390 | GP Pump | \$7,639 |

DIESEL ENGINE 12V DIRECT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|---------|------------------|---------|----------|---------|
| 18TRH22 | 4 GPM @ 3200 PSI | KD420ES | AR Pump | \$9,619 |
| 18TRH24 | 4 GPM @ 3200 PSI | KD420ES | CAT Pump | \$9,739 |
| 18TRH26 | 4 GPM @ 3200 PSI | KD420ES | GP Pump | \$9,519 |

HOSE OPTIONS

| | | | |
|------------|----------|----------------------------|----------|
| AHS235 | 4000 PSI | 3/8" X 100' Black W/ QC's | \$123.99 |
| AHS240 | 4000 PSI | 3/8" X 150' Black W/ QC's | \$219.00 |
| AHS245 | 4000 PSI | 3/8" X 200' Black W/ QC's | \$259.00 |
| AHS285 | 4000 PSI | 3/8" X 100' Gray W/ QC's | \$141.99 |
| AHS290-Pro | 4000 PSI | 3/8" X 150' Gray W/ QC's | \$219.00 |
| AHS295 | 4000 PSI | 3/8" X 200' Gray W/ QC's | \$315.00 |
| AHS335 | 6000 PSI | 3/8" X 100' Black W/ QC's | \$159.99 |
| 988VR-100 | | 3/4" X 100' HD Garden Hose | \$115.99 |

Add Trailer Model and Options to Calculate Complete Trailer Cost

**SELF-CONTAINED,
NO OUTSIDE POWER
SOURCE NEEDED**

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forklifttable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

Hot Water Trailer Features

- Rugged powder coated steel burner frame
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box.

AVAILABLE OPTIONS

- KCT025 25 gallon Chemical Tank \$719
- KTF200 Float valve kit \$89.99
- KAV001-I Air blowout valve/ winterizing kit \$19.99
- LWS100 Low water shut-down \$159.99
- ATK005 Adjustable Thermostat \$119

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers



Hot Water Trailer Portable "Road Ready"

HOT



16T48
AHS290PRO
988VR-100

**COMPLETE MOBILE
HOT WATER PRESSURE WASHER**

**SELF-CONTAINED,
NO OUTSIDE POWER
SOURCE NEEDED**

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 63"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HOT WATER SUPER SKID FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
 - Super efficient schedule 80 coil
 - Stainless steel coil wrap, burner hood, and control panel
 - 15 gallon poly diesel and gasoline (excludes GX390 models) fuel tanks with fuel filters
 - Reliable Honda & Vanguard gasoline Commercial/Industrial electric start engines
 - Includes full size 12 volt battery and marine battery box
 - Fully self-contained, no external power required
 - Choice of reliable AR, Cat and General pumps
 - Reliable Beckett burners
 - Adjustable thermostat
 - 3VX belt system offers balanced power transfer
 - Engine and pump oil drains offer easy maintenance
 - Safety pressure relief valve
- NOTE: 12V units include 20 amp charging system. 115V units include 2500 watt generator.

AVAILABLE OPTIONS

- KTF200 Float valve kit: \$89.99
- KAV001-I Air blowout valve/ winterizing kit: \$19.99
- LWS100 Low water shut-down \$159.99

GAS ENGINE 12V V-BELT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|---------|--------------------|----------|----------|---------|
| 18TRH35 | 4 GPM @ 4000 PSI | GX390 | AR Pump | \$8,599 |
| 18TRH37 | 4 GPM @ 4000 PSI | GX390 | CAT Pump | \$8,699 |
| 18TRH39 | 4 GPM @ 4000 PSI | GX390 | HP Pump | \$8,409 |
| 18TRV41 | 5 GPM @ 4000 PSI | Vanguard | AR Pump | \$9,059 |
| 18TRH43 | 5 GPM @ 4000 PSI | GX630 | AR Pump | \$9,339 |
| 18TRV45 | 5.5 GPM @ 3500 PSI | Vanguard | HP Pump | \$9,149 |
| 18TRH47 | 5.5 GPM @ 3500 PSI | GX630 | HP Pump | \$9,429 |
| 18TRH49 | 5.5 GPM @ 4000 PSI | GX630 | GP Pump | \$9,799 |
| 18TRH51 | 7 GPM @ 4000 PSI | GX690 | AR Pump | \$9,859 |
| 18TRH53 | 8 GPM @ 3500 PSI | GX690 | GP Pump | \$9,999 |

GAS ENGINE 115V V-BELT DRIVE TRAILER MODELS

(Without Hose)

| | | | | |
|-------|--------------------|----------|---------|----------|
| 16T42 | 5 GPM @ 3000 PSI | Vanguard | AR Pump | \$9,589 |
| 16T43 | 5 GPM @ 4000 PSI | GX630 | AR Pump | \$9,979 |
| 16T44 | 5.5 GPM @ 3500 PSI | GX630 | HP Pump | \$9,949 |
| 16T46 | 5.5 GPM @ 4000 PSI | GX690 | GP Pump | \$10,415 |
| 16T48 | 8 GPM @ 3000 PSI | GX690 | GP Pump | \$10,559 |

SEE HOSE OPTIONS ON PAGE 28

Add Trailer Model and Options to Calculate Complete Trailer Cost

Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

We are a Full Line Supplier

Jetter Package 4 GPM @ 4200 PSI



Hydraulic Pressure Washer - 26 GPM Pump



Power Take-Off Pressure Washers



Electric 180° Auto Stop/Start



Custom Built Electric Packages



LP Gas Powered Pressure Washers



Hot Water Trailer Packages



We are Fully Stocked



Portable Generator 6500 Watt



Honda Electric Start Generator



Powerful Generator 9000 Watt



Overhead Valve Recoil Engines



2" & 3" Water Pumps



Honda Water & Trash Pumps



Honda Air Compressors



Vanguard Hot Water Pressure Washers



Locking Safety Quick Connects



Pressure Washer Hoses



Stainless Steel Hose Reels



Custom Pump Assemblies



Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers

Mix & Match Volume Discounts

Under Carriage Cleaner



Mag Wheel Under Carriage Cleaner



Car Wash Booms & Parts



Truck Wash Components



Duct & Chute Cleaning Spinners



3" - 24" Stainless Steel Spinners



3 Story Telescopic Wands



Industrial Trigger Gun Assemblies



Clean Indoors with No Mess



Air Recovery System Cleaner



Versatile Hand Controlled Cleaning



Wide Swath Cleaning for all Surfaces



Air Recovery Works on Walls



Cleans on Walls and Floors



Air Recovery Avoids Run Off



Surface Cleaners Save Time



Clean Surfaces Avoid Slip & Fall



We Can Design Cleaning Solutions



Amazing Roof Cleaning Solutions



Air Recovery Graffiti Removal



Fast Track Order Line
800.226.2646
I know what I want

Order with Questions
800.363.9855
A little help, but I am ready

Inquiries
800.964.9274
Interested & need answers



*External Bypass as Shown



Honda GX Series

Mix & Match Quantity Discounts

| PART NUMBER | DESCRIPTION | EACH PRICE | 2 to 5 | 6 + |
|-------------|----------------------------|------------|----------|----------|
| GX 120 QX | 4HP Recoil Starter | \$375.00 | \$356.25 | \$348.75 |
| GX 160 QX | 5.5HP Recoil Starter | \$375.00 | \$356.25 | \$348.75 |
| GX 200 QX-R | 6.5HP Recoil Starter | \$399.00 | \$379.05 | \$371.07 |
| GX 270 QAG | 9HP Recoil Starter | \$579.00 | \$550.05 | \$538.47 |
| GX 390 QA | 13HP Recoil Starter | \$599.00 | \$569.05 | \$557.07 |
| GX 390 QAE | 13HP Electric Start 3 Amp | \$979.00 | \$930.05 | \$910.47 |
| GX 390 QNE | 13HP Electric Start 10 Amp | \$999.00 | \$949.05 | \$929.07 |

Vertical Axial Pumps

| PART NUMBER | DESCRIPTION | EA. PRICE | 2 to 5 | 6 + | 10+ |
|----------------|--------------------------------|-----------|---------|---------|---------|
| RMW22G24-PKG | 2.2GPM - 2400PSI Standard Tube | \$98.99 | \$94.04 | \$89.09 | \$87.11 |
| RMW22G24SX-PKG | 2.2GPM - 2400PSI Standard Tube | \$98.99 | \$94.04 | \$89.09 | \$87.11 |

NEW 2800PSI SERIES ARRIVES MARCH 2015 - Pricing Unavailable at Publication Date

Horizontal Axial Pumps

| PART NUMBER | DESCRIPTION | EA. PRICE | 2 to 5 | 6 + | 10+ |
|-----------------|------------------|-----------|----------|----------|----------|
| RMV25G24-PKG | 2.5GPM - 2400PSI | \$98.99 | \$94.04 | \$89.09 | \$87.11 |
| RMV25G30-PKG | 2.5GPM - 3000PSI | \$149.00 | \$141.55 | \$134.10 | \$131.12 |
| RMV25G30DEZ-PKG | 2.5GPM - 3000PSI | \$159.00 | \$151.05 | \$143.10 | \$139.82 |
| RXV3G30-PKG | 3.0GPM - 3000PSI | \$179.00 | \$170.05 | \$161.10 | \$157.52 |
| SJV25G27-PKG | 2.5GPM - 3000PSI | \$199.00 | \$189.05 | \$179.10 | \$175.12 |

Triplex Plunger Pumps

| PART NUMBER | DESCRIPTION | EA. PRICE | 2 to 5 | 6 + | 10+ |
|-----------------|-------------------|-----------|----------|----------|----------|
| RCV3G27-PKG | 3.0GPM - 3000PSI* | \$239.00 | \$227.05 | \$215.10 | \$210.32 |
| RRV4G40-VRT-PKG | 4.0GPM - 4000PSI* | \$299.00 | \$284.05 | \$269.10 | \$263.12 |
| SXMV4G40-PKG | 4.0GPM - 4000PSI | \$349.00 | \$331.55 | \$314.10 | \$307.12 |
| RKV4G40-PKG | 4.0GPM - 4000PSI | \$399.00 | \$379.05 | \$359.10 | \$351.12 |

Industrial Shaft Drive Pumps

| PART NUMBER | DESCRIPTION | EA. PRICE | 2 to 5 | 6 + | 10+ |
|-------------|-------------------|-----------|-----------|-----------|-----------|
| RTX100N | 26.4GPM - 1800PSI | \$1599.00 | \$1519.09 | \$1439.10 | \$1407.12 |
| RTX85N | 22.0GPM - 2200PSI | \$1599.00 | \$1519.09 | \$1439.10 | \$1407.12 |
| RTX70N | 18.5GPM - 2000PSI | \$1599.00 | \$1519.09 | \$1439.10 | \$1407.12 |
| RTX50N | 13.0GPM - 3000PSI | \$1599.00 | \$1519.09 | \$1439.10 | \$1407.12 |
| RTX30N | 8.0GPM - 4500PSI | \$1599.00 | \$1519.09 | \$1439.10 | \$1407.12 |

WATER CANNON, INC.

4300 W. Lake Mary Blvd. | Units 1010-424 | Lake Mary, FL 32746-2499

International: 321.800.5763 | 800.333.9274 | Fax: 888.928.9274